
Literaturverzeichnis

Im Text nicht erwähnt sind einige allgemeine und weiterführende Darstellungen, wie z. B. Y. Dodge (2003), D. Rasch (1995) und H. Rinne (2008). Weitere Arbeiten hier genannter und anderer Autoren enthält die 11. Auflage dieses Buches sowie der Guide von L. Sachs [Sac86b]. Auf die zitierten Literaturstellen wird durch [Seite xxx] hingewiesen.

- AB60. ANSARI, A.R. ; BRADLEY, R.A.: Rank-sum tests for dispersion. In: *Annals of Mathematical Statistics* 31 (1960), S. 1174–1189 [Seite 544.]
- AB02. ANDERSON, D.R. ; BURNHAM, K.P.: Avoiding pitfalls when using information-theoretic methods. In: *Journal of Wildlife Management* 66 (2002), S. 912–918 [Seite 839.]
- ABGK93. ANDERSEN, P.K. ; BORGAN, O. ; GILL, R.D. ; KEIDING, N.: *Statistical Models Based on Counting Processes*. Springer-Verlag, 1993 [Seiten 909 und 912.]
- ABN92. ARNOLD, B.C. ; BALAKRISHNAN, N. ; NAGARAJA, H.N.: *A First Course in Order Statistics*. New York and Chichester : Wiley; pp 279, 1992 [Seite 170.]
- AC00. AGRESTI, A. ; CAFFO, B.: Simple and effective confidence intervals for proportions and differences of proportions resulting from adding two successes and two failures. In: *The American Statistician* 54 (2000), S. 280–288 [Seite 366.]
- Act59. ACTON, F.S.: *Analysis of Straight-Line Data*. New York : Dover, 1959 [Seite 138.]
- AD52. ANDERSON, T.W. ; DARLING, D.A.: Asymptotic theory of certain „goodness-of-fit“ criteria based on stochastic processes. In: *Annals of Mathematical Statistics* 23 (1952), S. 193–212 [Seite 499.]
- Ada92. ADAM, J.: *Statistisches Know-how in der medizinischen Forschung*. Berlin : Ullstein Mosby; 636 S., 1992 [Seite 687.]
- Adl10. ADLER, J.: *R in a Nutshell*. Sebastopol (CA) : O'Reilly Media, pp. 640, 2010 [Seite 936.]
- AFV96. APPLETON, D.R. ; FRENCH, J.M. ; VANDERPUMP, M.P.J.: Ignoring a Covariate: An Example of Simpson's Paradox. In: *The American Statistician* 50 (1996), S. 340–341 [Seite 79.]
- Agr02. AGRESTI, A.: *Categorical Data Analysis*. 2nd edition. Wiley; pp. 710, 2002 [Seiten 750 und 872.]
- AHBT82. ABDEL-HAMID, A.R. ; BATHER, J.A. ; TRUSTRUM, G.B.: The secretary problem with an unknown number of candidates. In: *Journal of Applied Probability* 19 (1982), S. 619–630 [Seite 170.]
- Ait87. AITCHISON, J.: *The Statistical Analysis of Compositional Data*. London and New York : Chapman and Hall; pp. 416, 1987 [Seite 124.]
- Aka73. AKAIKE, H.: Information theory as an extension of the maximum likelihood principle. In: PETROV, B.N. (Hrsg.) ; CSAKSI, F. (Hrsg.): *2nd International Symposium on Information Theory*. Budapest, Hungary : Akademiai Kiado, 1973, S. 267–281 [Seite 838.]
- Alb07. ALBERT, J.: *Bayesian Computation with R*. New York : Springer; pp. 267, 2007 [Seite 453.]
- Alb18. ALBERT, J.: *LearnBayes: Functions for Learning Bayesian Inference*, 2018. – R package version 2.15.1. <https://CRAN.R-project.org/package=LearnBayes> [Seiten 446 und 453.]
- All01. ALLISON, P.: *Quantitative applications in the social sciences.. Bd. 136: Missing data*. Thousand Oaks, CA : Sage Publications; pp. 104, 2001 [Seite 16.]
- Alt98. ALTMAN, D.G.: Confidence intervals for the number needed to treat. In: *British Medical Journal* 317 (1998), S. 1309–1312 [Seite 721.]

- AMBG00. ALTMAN, D.G. ; MACHIN, D. ; BRYANT, T.N. ; GARDNER, M.J. (.: *Statistics With Confidence: Confidence Intervals and Statistical Guidelines*. 2nd edition. London : BMJ Books; pp. 254, 2000 [Seite 392.]
- And94. ANDERSON, T.W.: *The Statistical Analysis of Time Series*. New York : Wiley; pp. 720, 1994 [Seite 130.]
- Ans48. ANSCOMBE, F.J.: The transformation of Poisson, binomial and negative binomial data. In: *Biometrika* 35 (1948), S. 246–254 [Seite 360.]
- APTA06. ACION, Laura ; PETERSON, J.J. ; TEMPLE, S. ; ARNDT, S.: Probabilistic index: an intuitive non-parametric approach to measuring the size of treatment effects. In: *Statistics in Medicine* 25 (2006), S. 591–602 [Seite 576.]
- Arm55. ARMITAGE, P.: Tests for linear trends in proportions and frequencies. In: *Biometrics* 11 (1955), S. 375–386 [Seiten 747 und 748.]
- AS94. ANDERSON-SPRECHER, R.: Model Comparisons and R^2 . In: *The American Statistician* 48 (1994), S. 113–116 [Seite 823.]
- AY01. ALLEN, Mary J. ; YEN, Wendy M.: *Introduction to Measurement Theory*. Long Grove (IL) : Waveland Press; pp. 320, 2001 [Seite 131.]
- BA86. BLAND, J.M. ; ALTMAN, D.G.: Statistical methods for assessing agreement between two methods of clinical measurement. In: *Lancet* i: (1986), S. 307–310 [Seite 425.]
- BA94a. BLAND, J.M. ; ALTMAN, D.G.: Correlation, regression, and repeated data. In: *British Medical Journal* 308 (1994), S. 896 [Seite 794.]
- BA94b. BLAND, J.M. ; ALTMAN, D.G.: One and two sided tests of significance. In: *British Medical Journal* 309 (1994), S. 248 [Seite 471.]
- BA94c. BLAND, J.M. ; ALTMAN, D.G.: Regression towards the mean. In: *British Medical Journal* 308 (1994), S. 1499 [Seite 138.]
- BA95a. BLAND, J.M. ; ALTMAN, D.G.: Calculating correlation coefficients with repeated observations: Part 1 - correlation within subjects. In: *British Medical Journal* 310 (1995), S. 446 [Seite 794.]
- BA95b. BLAND, J.M. ; ALTMAN, D.G.: Calculating correlation coefficients with repeated observations: Part 2 - correlation between subjects. In: *British Medical Journal* 310 (1995), S. 633 [Seite 794.]
- BA99. BLAND, J.M. ; ALTMAN, D.G.: Measuring agreement in method comparison studies. In: *Statistical Methods in Medical Research* 8 (1999), S. 135–160 [Seite 428.]
- BA02. BURNHAM, K.P. ; ANDERSON, D.R.: *Model Selection and Multimodel Inference: A Practical Information-Theoretic Approach*. 2nd edition. New York : Springer; pp. 488, 2002 [Seiten 838 und 839.]
- BA06. BERRY, D.A. ; AYERS, G.D.: Symmetrized percent change for treatment comparisons. In: *The American Statistician* 60 (2006), S. 27–31 [Seite 563.]
- BA07. BLAND, J.M. ; ALTMAN, D.G.: Agreement between methods of measurement with multiple observations per individual. In: *Journal of Biopharmaceutical Statistics* 17 (2007), S. 571–582 [Seite 428.]
- Bar37. BARTLETT, M.S.: Properties of sufficiency and statistical tests. In: *Proceedings of the Royal Statistical Society Series A* 160 (1937), S. 268–282 [Seite 622.]
- Bar49. BARTLETT, M.S.: Fitting a straight line when both variables are subject to error. In: *Biometrics* 5 (1949), S. 207–212 [Seite 139.]
- Bar59. BARTHOLOMEW, D.J.: A test of homogeneity for ordered alternatives, I and II. In: *Biometrika* 46 (1959), S. 36–48 and 328–335 [Seite 748.]
- Bar66. BARTKO, J.J.: The intraclass correlation coefficient as a measure of reliability. In: *Psychological Reports* 19 (1966), S. 3–11 [Seite 338.]

- Bau62. BAUER, R.K.: Der „Median-Quartile-Test”: Ein Verfahren zur nichtparametrischen Prüfung zweier unabhängiger Stichproben auf unspezifische Verteilungsunterschiede. In: *Metrika* 5 (1962), S. 1–16 [Seite 605.]
- Bau72. BAUER, F.D.: Constructing confidence sets using rank statistics. In: *Journal of the American Statistical Association* 67 (1972), S. 687–690 [Seite 396.]
- BB81. BEAUMONT, J.J. ; BRESLOW, N.E.: Power considerations in epidemiologic studies of vinyl chloride workers. In: *American Journal of Epidemiology* 114 (1981), S. 725–734 [Seite 380.]
- BB89. BRADLEY, E.G. ; BLACKWOOD, L.G.: Comparing paired data: a simultaneous test for means and variances. In: *The American Statistician* 43 (1989), S. 234–235 [Seite 431.]
- BB91. BLACKWOOD, L.G. ; BRADLEY, E.L.: An omnibus test for comparing two measuring devices. In: *Journal of Quality Technology* 23 (1991), S. 12–16 [Seiten 431 und 432.]
- BC64. BOX, G.E.P. ; COX, D.R.: An analysis of transformations (with discussion). In: *Journal of the Royal Statistical Society* 26 (1964), S. 211–252 [Seite 489.]
- BC99. BÜNING, H. ; CHAKRABORTI, S.: Power comparison of several two-sample tests for general alternatives. In: *Allgemeines Statistisches Archiv* 83 (1999), S. 190–210 [Seite 595.]
- BCD01. BROWN, L.D. ; CAI, T.T. ; DASGUPTA, A.: Interval estimation for a binomial proportion. In: *Statistical Science* 16 (2001), S. 101–133 [Seiten 360 und 361.]
- BD80. BRESLOW, N.E. ; DAY, N.E.: *Statistical Methods in Cancer Research. Vol. I: The Analysis of Case-Control Studies*. Lyon, France : IARC Scientific Publ. No. 32; International Agency for Research on Cancer; pp. 338, 1980 [Seiten 200 und 735.]
- BD87. BRESLOW, N.E. ; DAY, N.E.: *Statistical Methods in Cancer Research. Vol. II: The Design and Analysis of Cohort Studies*. Lyon : IARC Scientific Publ. No. 82; International Agency for Research on Cancer; pp. 406, 1987 [Seiten 200 und 380.]
- BD02. BORTZ, J. ; DÖRING, Nicola: *Forschungsmethoden und Evaluation für Human- und Sozialwissenschaftler*. 3. Auflage. Berlin, Heidelberg, New York : Springer ; 649 S., 2002 [Seite 331.]
- Bel02. BELLE, G. van: *Statistical Rules of Thumb*. New York : John Wiley; pp. 248, 2002 [Seiten 374 und 965.]
- Ben38. BENFORD, F.: The law of anomalous numbers. In: *Proceedings of the American Philosophical Society* 78 (1938), S. 551–572 [Seite 170.]
- Ben67. BENNETT, B.M.: Tests of hypotheses concerning matched samples. In: *Journal of the Royal Statistical Society* 29 (1967), S. 468–474 [Seite 773.]
- Ben72. BENNETT, B.M.: Tests for marginal symmetry in contingency tables. In: *Metrika* 19 (1972), S. 23–26 [Seite 769.]
- Ben78. BENNETT, B.M.: On a test for equality of dependent correlation coefficients. In: *Statistische Hefte* 19 (1978), S. 71–76 [Seite 790.]
- Ben01. BENDER, R.: Calculating confidence intervals for the Number Needed to Treat. In: *Controlled Clinical Trials* 22 (2001), S. 102–110 [Seite 367.]
- BEPW06. BACKHAUS, K. ; ERICHSON, B. ; PLINKE, W. ; WEIBER, R.: *Multivariate Analysemethoden: Eine anwendungsbezogene Einführung*. 11. Auflage. Berlin, Heidelberg, New York : Springer; 559 S., 2006 [Seiten 817, 863 und 965.]
- Ber46. BERKSON, J.: Limitations of the application of fourfold tables to hospital data. In: *Biometrics Bulletin* 2 (1946), S. 47–53 [Seite 336.]
- Ber87. BERRY, D.A.: Logarithmic transformations in ANOVA. In: *Biometrics* 43 (1987), S. 439–456 [Seite 626.]
- BF74. BROWN, M.B. ; FORSYTHE, A.B.: Robust tests for the equality of variances. In: *Journal of the American Statistical Association* 69 (1974), S. 364–367 [Seiten 535 und 624.]

- BGG04. BLEYMÜLLER, J. ; GEHLERT, G. ; GÜLICHER, H.: *Statistik für Wirtschaftswissenschaftler*. 14. Auflage. München : Verlag Vahlen, 2004 [Seite 120.]
- BGSP02. BRAY, F. ; GUILLOX, A. ; SANKILA, R. ; PARKIN, D.N.: Practical implications of imposing a new world standard population. In: *Cancer Causes and Control* 13 (2002), S. 175–182 [Seite 203.]
- BH62. BENNETT, B.M. ; HSU, P.: Sampling studies on a test against trend in binomial data. In: *Metrika* 5 (1962), S. 96–104 [Seite 748.]
- Büh81. BÜHLER, W.K.: *Gauss, a Biographical Study*. New York : Springer; pp 208, 1981 [Seite 159.]
- Böh94. BÖHNING, D.: A note on a test for Poisson overdispersion. In: *Biometrika* 81 (1994), S. 419–419 [Seite 249.]
- BH95. BENJAMINI, Y. ; HOCHBERG, Y.: Controlling the false discovery rate: a practical and powerful approach to multiple testing. In: *Journal of the Royal Statistical Society* 57 (1995), S. 289–300 [Seite 615.]
- BHS94. BLOM, G. ; HOLST, L. ; SANDELL, D.: *Problems and Snapshots from the World of Probability*. New York : Springer; pp 240, 1994 [Seite 262.]
- BHW11. BRETZ, F. ; HOTHORN, T. ; WESTFALL, P.: *Multiple Comparisons Using R*. Boca Raton : CRC Press; pp. 187, 2011 [Seite 634.]
- BJ80. BERA, A.K. ; JARQUE, C.M.: Efficient tests for normality, homoscedasticity and serial independence of regression residuals. In: *Economics Letters* 6 (1980), S. 255–259 [Seite 484.]
- Bla00. BLAND, J.M.: *An Introduction to Medical Statistics*. 3rd edition. Oxford, New York : Oxford University Press; pp. 422, 2000 [Seiten 795 und 965.]
- BLB08. BORTZ, J. ; LIENERT, G.A. ; BOEHNKE, K.: *Verteilungsfreie Methoden in der Biostatistik*. 3. Auflage. Berlin : Springer Verlag; 930 S., 2008 [Seiten 545 und 802.]
- BLNZ95. BYRD, R.H. ; LU, P. ; NOCEDAL, J. ; ZHU, C.: A limited memory algorithm for bound constrained optimization. In: *Journal of Scientific Computing (SIAM)* 16 (1995), S. 1190–1208 [Seite 352.]
- Blo58. BLOM, G.: *Statistical Estimates and Transformed Beta Variables*. New York : John Wiley, 1958 [Seite 487.]
- Bly86. BLYTH, C.R.: Approximate binomial confidence limits. In: *Journal of the American Statistical Association* 81 (1986), S. 843–855 [Seite 361.]
- BM02. BRUNNER, E. ; MUNZEL, U.: *Nichtparametrische Datenanalyse*. Berlin, Heidelberg, New York : Springer Verlag, 2002 [Seite 578.]
- BN03. BALAKRISHNAN, N. ; NEVZOROV, V.B.: *A Primer on Statistical Distributions*. Hoboken, H.J. : Wiley; pp 305, 2003 [Seite 262.]
- Bon02. BONETT, D.G.: Sample size requirements for estimating intraclass correlations with desired precision. In: *Statistics in Medicine* 21 (2002), S. 1331–1335 [Seite 435.]
- Bor98. BORTKIEWICZ, L. von: *Das Gesetz der kleinen Zahlen*. Leipzig : Teubner, 1898 [Seite 249.]
- Bor99. BORTZ, J.: *Statistik für Sozialwissenschaftler*. 5. Auflage. Berlin : Springer Verlag, 836 S., 1999 [Seiten 677 und 679.]
- Bor05. BORTZ, J.: *Statistik*. 6. Auflage. Berlin, Heidelberg, New York : Springer; 882 S., 2005 [Seite 965.]
- Bos98. BOSCH, K.: *Statistik-Taschenbuch*. 3. verbesserte Auflage. München, Wien : R. Oldenbourg; 840 S., 1998 [Seite 814.]
- Bow48. BOWKER, A.H.: A test for symmetry in contingency tables. In: *Journal of the American Statistical Association* 43 (1948), S. 572–574 [Seite 769.]
- BP79. BREUSCH, T.S. ; PAGAN, A.R.: A simple test for heteroscedasticity and random coefficient variation. In: *Econometrica* 47 (1979), S. 1287–1294 [Seite 833.]

- BR17. BOLKER, B. ; R DEVELOPMENT CORE TEAM: *bbmle: Tools for General Maximum Likelihood Estimation.*, 2017. – R package version 1.0.20. <https://CRAN.R-project.org/package=bbmle> [Seite 348.]
- Bra10. BRASIL, P.: *DiagnosisMed: Diagnostic test accuracy evaluation for medical professionals.*, 2010. – R package version 0.2.3. <https://CRAN.R-project.org/package=DiagnosisMed> [Seite 195.]
- Bre75. BRESLOW, N.E.: Analysis of survival data under the proportional hazards model. In: *International Statistics Review* 43 (1975), S. 45–48 [Seite 925.]
- Bre82. BRESLOW, N.E.: Design and analysis of case-control studies. In: *Annual Review of Health* 3 (1982), S. 29–54 [Seite 715.]
- Bre01. BRENNAN, R.L.: *Generalizability Theory*. New York : Springer; pp. 538, 2001 [Seite 132.]
- BRRB01. BARKER, L. ; ROLKA, H. ; ROLKA, D. ; BROWN, C.: Equivalence testing for binomial random variables: Which test to use? In: *The American Statistician* 55 (2001), S. 279–287 [Seite 724.]
- BS03. BONETT, D.G. ; SEIER, Edith: Confidence intervals for mean absolute deviations. In: *The American Statistician* 57 (2003), S. 233–236 [Seite 391.]
- BT94. BÜNING, H. ; TRENKLER, G.: *Nichtparametrische statistische Methoden*. 2. Auflage. Berlin : De Gruyter; 485 S., 1994 [Seite 545.]
- BT02. BROMILEY, P.A. ; THACKER, N.A.: The effects of an arcsin square root transform on a binomial distributed quatity. / Imaging Science and Biomedical Engineering Division, Medical School, University of Manchester,. Manchester, 2002 (Tina memo, 2002-007). – Forschungsbericht. <http://www.tina-vision.net> [Seite 625.]
- BW00. BONETT, D.G. ; WRIGHT, T.A.: Sample size requirements for estimating Pearson, Kendall and Spearman correlations. In: *Psychometrika* 65 (2000) [Seite 804.]
- BY01. BENJAMINI, Y. ; YEKUTIELI, D.: The control of the false discovery rate in multiple testing under dependency. In: *The Annals of Statistics* 29 (2001), S. 1165–1188 [Seite 615.]
- Cac65. CACOULLOS, T.: A relation between t and F-distributions. In: *Journal of the American Statistical Association* 60 (1965), S. 528–531 [Seite 535.]
- Caf13. CAFFO, Brian: *exactLoglinTest: Monte Carlo Exact Tests for Log-linear models.*, 2013. – R package version 1.4.2. <https://CRAN.R-project.org/package=exactLoglinTest> [Seite 881.]
- CB02. CASELLA, G. ; BERGER, R.L.: *Statistical Inference*. 2nd edition. Pacific Grove : Wadsworth and Brooks; pp. 660, 2002 [Seite 140.]
- CC83. COHEN, J. ; COHEN, P.: *Applied Multiple Regression Analysis. Correlation Analysis for the Behavioral Sciences*. 2nd edition. New York : Wiley, 1983 [Seite 128.]
- CF96. CSÖRGÖ, S. ; FARAWAY, J.J.: The exact and asymptotic distribution of Cramér -von Mises statistics. In: *Journal of the Royal Statistical Society* 58 (1996), S. 221–234 [Seite 595.]
- CFK05. CALIEBE, Amke ; FREITAG, Sandra ; KRAWCZAK, M.: Stochastische Modelle für Interaktion und Effektmodifikation. In: *medgen* 17 (2005), S. 14–19 [Seite 848.]
- CG59. CROW, E.L. ; GARDNER, R.S.: Confidence intervals for the expectation of a POISSON variable. In: *Biometrika* 46 (1959), S. 441–453 [Seite 375.]
- CH92. CHAMBERS, J.M. ; HASTIE, T.J.: *Statistical Models in S*. Pacific Grove, CA : Wadsworth and Brooks, 1992 [Seite 855.]
- Cha71. CHAKRAVARTI, I.M.: Confidence set for the ratio of means of two normal distributions when the ratio of variances is known. In: *Biometrische Zeitschrift* 13 (1971), S. 89–94 [Seite 388.]
- Cha94. CHAN, Yiu-Man: Combining means and variances. In: *Teaching Statistics* 16 (1994), S. 80 [Seite 96.]

- Cha12. CHASALOW, Scott: *combinat: combinatorics utilities.*, 2012. – R package version 0.0-8. <https://CRAN.R-project.org/package=combinat> [Seite 61.]
- Cha18. CHAMPELY, Stephane: *pwr: Basic Functions for Power Analysis.*, 2018. – R package version 1.2-2. <https://CRAN.R-project.org/package=pwr> [Seiten 704, 797 und 798.]
- Che07. CHERNICK, M.R.: *Bootstrap Methods: A Practitioner's Guide*. 2nd edition. New York : Wiley, pp. 400, 2007 [Seiten 402 und 403.]
- Chi70. CHISOM, B.S.: Interpretation of the kurtosis statistic. In: *The American Statistician* 24 (1970), S. 19–22 [Seite 221.]
- Cho60. CHOW, G.C.: Tests of equality between sets of coefficients in two linear regressions. In: *Econometrica* 28 (1960), S. 591–605 [Seiten 806 und 832.]
- CJJ81. CONOVER, W.J. ; JOHNSON, M.E. ; JOHNSON, M.M.: A comparative study of tests for homogeneity of variances, with applications to the outer continental shelf bidding data. In: *Technometrics* 23 (1981), S. 351–361 [Seite 624.]
- CK84. CANAVOS, G.C. ; KOUTROUVELIS, I.A.: The robustness of two-sided tolerance limits for normal distributions. In: *Journal of Quality Technology* 16 (1984), S. 144–149 [Seite 437.]
- CLPC08. CHANG, C.H. ; LIN, J.J. ; PAL, N. ; CHIANG, M.C.: A note on improved approximation of the binomial distribution by the skew-normal distribution. In: *The American Statistician* 62 (2008), S. 167–170 [Seite 277.]
- CO79. CAMPBELL, D.B. ; OPRIAN, C.A.: On the Kolmogorov-Smirnov test for the Poisson distribution with unknown mean. In: *Biometrical Journal* 21 (1979), S. 17–24 [Seite 497.]
- Coc41. COCHRAN, W.G.: The distribution of the largest of a set of estimated variances as a fraction of their total. In: *Annals of Eugenics (Lond.)* 11 (1941), S. 47–61 [Seite 621.]
- Coc50. COCHRAN, W.G.: The comparison of percentages in matched samples. In: *Biometrika* 37 (1950), S. 256–266 [Seite 773.]
- Coc54. COCHRAN, W.G.: Some methods for strengthening the common chi-square tests. In: *Biometrics* 10 (1954), S. 417–451 [Seiten 737, 747 und 748.]
- Coc83. COCHRAN, W.G.: *Planning and Analysis of Observational Studies*. New York : Wiley; pp 160, 1983 [Seite 12.]
- Coh60. COHEN, J.: A coefficient of agreement for nominal scales. In: *Educational and Psychological Bulletin* 20 (1960), S. 37–46 [Seite 776.]
- Coh88. COHEN, J.: *Statistical Power Analysis for the Behavioral Sciences*. Hillsdale, New Jersey : Lawrence Erlbaum Associates; pp. 567, 1988 [Seiten 576, 632 und 763.]
- Col01. COLES, S.: *Extreme Value Theory: An Introduction*. London : Springer; pp 209, 2001 [Seite 297.]
- Col03. COLLETT, D.: *Modelling Survival Data in Medical Research*. 2nd edition. London : Chapman and Hall; pp. 408, 2003 [Seiten 913 und 932.]
- Con89. CONSUL, P.C.: *Generalized Poisson Distributions*. New York and Basel : M. Dekker; pp. 302, 1989 (Statistics Vol. 99) [Seite 249.]
- Con99. CONOVER, W.J.: *Practical Nonparametric Statistics*. 3rd edition. London : Wiley; pp. 584, 1999 [Seiten 89, 438, 597, 675 und 676.]
- Cox72. COX, D.R.: Regression models and life tables. In: *Journal of the Royal Statistical Society B*, 34 (1972), S. 187–220 [Seite 924.]
- Cox75. COX, D.R.: Partial Likelihood. In: *Biometrika* 62 (1975), S. 269–276 [Seite 924.]
- CP34. CLOPPER, C.J. ; PEARSON, E.S.: The use of confidence or fiducial limits illustrated in the case of the binomial. In: *Biometrika* 26 (1934), S. 404–413 [Seiten 357, 359 und 364.]
- CPS78. CASAGRANDE, J.T. ; PIKE, M.C. ; SMITH, P.G.: An improved approximate formula for calculating sample sizes for comparing two binomial distributions. In: *Biometrics* 34 (1978), S. 483–486 [Seite 704.]

- CR00. COX, D.R. ; REID, N.: *The Theory of the Design of Experiments*. London : Chapman + Hall; pp. 323, 2000 [Seite 694.]
- CR19. CANTY, A. ; RIPLEY, B.: *boot: Bootstrap R (S-Plus) Functions.*, 2019. – boot: Bootstrap R (S-Plus) Functions. <https://CRAN.R-project.org/package=boot> [Seite 779.]
- Cra46. CRAMÉR, H.: *Mathematical Methods of Statistics*. Princeton, NJ : Princeton Univ. Press; pp. 592, 1946 [Seite 761.]
- Cra07. CRAWLEY, M.J.: *The R Book*. Chichester : John Wiley; pp 942, 2007 [Seite 936.]
- CS55. COX, D.R. ; STUART, A.: Quick sign tests for trend in location and dispersion. In: *Biometrika* 42 (1955), S. 80–95 [Seite 527.]
- CS89. COX, D.R. ; SNELL, E.J.: *Analysis of Binary Data*. London : Chapman and Hall, 1989 [Seite 862.]
- CSM87. CONNETT, J.E. ; SMITH, J.A. ; MCHUGH, R.H.: Sample size and power for pair-matched case-control studies. In: *Statistics in Medicine* 6 (1987), S. 53–59 [Seite 731.]
- CSW66. CARLSON, F.D. ; SOBEL, E. ; WATSON, G.S.: Linear relationships between variables affected by errors. In: *Biometrics* 22 (1966), S. 252–267 [Seite 138.]
- CSW03. CHOW, SC ; SHAO, J. ; WANG, H.: *Sample Size Calculations in Clinical Research*. New York : M. Dekker; pp. 358, 2003 [Seite 965.]
- Cur66. CURETON, E.E.: Quick fits for the lines $y = bx$ and $y = a + bx$ when errors of observation are present in both variables. In: *The American Statistician* 20 (1966), S. 49 [Seite 139.]
- Cur18. CURRAN, J.: *Hotelling: Hotelling's T-squared Test and Variants.*, 2018. – R package version 1.0-5. <https://CRAN.R-project.org/package=Hotelling> [Seite 560.]
- Dah40. DAHLBERG, G.: *Statistical Methods for Medical and Biological Students*. Interscience Publications, 1940 [Seite 112.]
- Dal92. DALLAL, G.E.: The 17/10 rule for sample size determination. In: *The American Statistician* 46 (1992) [Seite 557.]
- Dal08. DALGAARD, P.: *Introductory Statistics with R*. 2nd edition. New York : Springer; pp. 364, 2008 [Seiten 30 und 936.]
- Dar70. DARLINGTON, R.B.: Is kurtosis really „peakedness”? In: *The American Statistician* 24 (1970), S. 19–22 [Seite 221.]
- Dav38. DAVID, F.N.: *Tables of the Ordinates and Probability Integral of the Distribution of the Correlation Coefficient in Small Samples*. London : The Biometrika Office, 1938 [Seite 423.]
- Dav67. DAVIES, O.L.: *The Design and Analysis of Industrial Experiments*. 2nd edition. London : Oliver and Boyd; pp. 633, 1967 [Seite 965.]
- Dav02. DAVIS, C.S.: *Statistical Methods for the Analysis of Repeated Measurements*. New York : Springer ; pp. 415, 2002 [Seiten 684, 686 und 882.]
- Dav03. DAVISON, A.C.: *Statistical Models*. Cambridge : Cambridge Univ. Press; pp. 726, 2003 [Seiten 227 und 818.]
- dBd90. D'AGOSTINO, R.B. ; BELANGER, A. ; D'AGOSTINO, R.B. J.: A suggestion for using powerful and informative tests of normality. In: *The American Statistician* 44 (1990), S. 316–321 [Seiten 484 und 488.]
- DC87. DUNN, O.J. ; CLARK, V.A.: *Applied Statistics: Analysis of Variance and Regression*. 2nd edition. New York : Wiley; pp. 445, 1987 [Seite 128.]
- DD88. DONNER, A. ; DONALD, A.: The statistical analysis of multiple binary measurements. In: *Journal of Clinical Epidemiology* 41 (1988), S. 899–905 [Seite 894.]
- Del17. DELAHAYE, J.-P.: Das beunruhigende Paradox von Simpson. In: *Spektrum der Wissenschaft* 2.17 (2017), S. 70–76 [Seite 79.]
- Dem43. DEMING, W.E.: *Statistical Adjustment of Data*. Wiley, New York, (Dover Publications edition 2011), pp.288, 1943 [Seite 428.]

- Dem06. DEMIDENKO, E.: Sample size determination for logistic regression revisited. In: *Statistics in Medicine* 26 (2006), S. 3385–3397 [Seite 856.]
- DG77. DUNNETT, C.W. ; GENT, M.: Significance testing to establish equivalence between treatments, With special reference to data in the form of 2 x 2 tables. In: *Biometrics* 33 (1977), S. 593–602 [Seiten 725 und 726.]
- DH97. DAVISON, A.C. ; HINKLEY, D.V.: *Bootstrap Methods and Their Applications*. Cambridge University Press. – ISBN 0-521-57391-2. <http://statwww.epfl.ch/davison/BMA/> [Seite 779.]
- DHP54. DAVID, H.A. ; HARTLEY, H.O. ; PERASON, E.S.: The distribution of the ratio, in a single normal sample, of range to standard deviation. In: *Biometrika* 41 (1954), S. 482–493 [Seite 483.]
- Dix53. DIXON, W.J.: Processing data for outliers. In: *Biometrics* 9 (1953), S. 74–89 [Seite 503.]
- DM46. DIXON, W.J. ; MOOD, A.M.: The statistical sign test. In: *Journal of the American Statistical Association* 41 (1946), S. 557–566 [Seite 586.]
- DM83. DIXON, W.J. ; MASSEY, F.J. J.: *Introduction to Statistical Analysis*. 4th edition. New York, Hamburg, London : McGraw Hill, 1983 [Seite 414.]
- DM88. DUDEWICZ, E.J. ; MISHRA, S.N.: *Modern Mathematical Statistics*. New York : Wiley; pp. 838, 1988 [Seite 644.]
- DM89. DIACONIS, P. ; MOSTELLER, F.: Methods for studying coincidences. In: *Journal of the American Statistical Association* 84 (1989), S. 853–861 [Seiten 182 und 250.]
- DMC15. DELIGNETTE-MULLER, M. L. ; C., Dutang: fitdistrplus: An R Package for Fitting Distributions. In: *Journal of Statistical Software* 64 (2015), Nr. 4, 1-34. <http://www.jstatsoft.org/v64/i04/> [Seiten 300 und 352.]
- DN03. DAVID, H.D. ; NAGARAJA, H.N.: *Order Statistics*. 3rd edition. New York : John Wiley; pp. 488, 2003 [Seite 965.]
- DO05. DUNCAN, B.W. ; OLKIN, I.: Bias of estimates of the number needed to treat. In: *Statistics in Medicine* 24 (2005), S. 1837–1848 [Seite 721.]
- Dod96. DODGE, Yadolah: A natural random number generator. In: *International Statistical Review* 64 (1996), S. 329–344 [Seite 334.]
- Dod03. DODGE, Yadolah: *The Oxford Dictionary of Statistical Terms*. 6th edition. New York : Oxford University Press; pp. 498, 2003 [Seite 965.]
- Dow18. DOWD, C.: *twosamples: Fast Permutation Based Two Sample Tests*, 2018. – R package version 1.0.0. <https://CRAN.R-project.org/package=twosamples> [Seite 595.]
- Dör98. DÖRING, K.: Sokrates. In: FLASHAR, H. (Hrsg.): *Die Philosophie der Antike*. Bd. 2/1, Paragraph 13. Basel : Schwabe und Co, 1998, S. 130–178 [Seite 454.]
- DR04. DESU, M.M. ; RAGHAVARAO, D.: *Nonparametric Statistical Methods for Complete and Censored Data*. Boca Raton, Florida : Chapman and Hall, 2004 [Seite 965.]
- DR05. DEY, D.K. ; RAO, C.R.: *Bayesian Thinking: Modeling and Computation*. Amsterdam : Elsevier; pp 1041, 2005 (Handbook of Statistics, Vol. 25) [Seiten 158 und 453.]
- DR07. DÜMBGEN, L. ; RIEDWYL, H.: On Fences and Asymmetry in Box-and-Whiskers Plots. In: *The American Statistician* 61 (2007), S. 356–359 [Seite 501.]
- DR14. DORAI-RAJ, Sundar: *binom: Binomial Confidence Intervals For Several Parameterizations*, 2014. – R package version 1.1-1. <https://CRAN.R-project.org/package=binom> [Seiten 362 und 730.]
- DS51. DURBIN, J. ; STUART, A.: Inversions and rank correlation coefficients. In: *Journal of the Royal Statistical Society* 13 (1951), S. 303–309 [Seite 803.]
- DSB03. DUDOIT, S. ; SHAFFER, J.P. ; BOLDRICK, J.C.: Multiple hypothesis testing in microarray experiments. In: *Statistical Science* 18 (2003), S. 71–103 [Seiten 612, 613 und 614.]

- Dun55. DUNNETT, C.W.: A multiple comparison procedure for comparing several treatments with a control. In: *Journal of the American Statistical Association* 50 (1955), S. 1096–1121 [Seiten 639 und 640.]
- Dun64. DUNNETT, C.W.: New tables for multiple comparisons with a control. In: *Biometrics* 20 (1964), S. 482–491 [Seite 639.]
- DW58. DUCKWORTH, W.E. ; WYATT, J.K.: Rapid statistical techniques for operations research workers. In: *Operations Research Quarterly* 9 (1958), S. 218–233 [Seite 528.]
- DW71. DURBIN, J. ; WATSON, G.S.: Testing for serial correlation in least squares regression, III. In: *Biometrika* 58 (1971), S. 1–19 [Seiten 129 und 808.]
- DW86. DALLAL, G.E. ; WILKINSON, L.: An analytic approximation to the distribution of Liliefors's test statistic for normality. In: *The American Statistician* 40 (1986), S. 294–295 [Seite 496.]
- DWMOW87. DIXON, P.M. ; WEINER, J. ; MITCHELL-OLDS, T. ; WOODLEY, R.: Bootstrapping the Gini Coefficient of Inequality (Erratum in Ecology 69, 1988 p 1307). In: *Ecology* 68 (1987), S. 1548–1551 [Seite 120.]
- EBB⁺83. EISENWIENER, H.-G. ; BABLOK, W. ; BARDORFF, W. ; BENDER, R. ; MARKOWETZ, D. ; PASSING, H. ; SPAETHE, R. ; SPECHT, W.: Präzisionsangaben beim Methodenvergleich. In: *Laboratoriums-Medizin* 7 (1983), S. 273–281 [Seite 111.]
- Edi95. EDINGTON, E.S.: *Randomization Tests*. 3rd edition. New York : M. Dekker; pp. 409, 1995 [Seite 599.]
- Efr77. EFRON, B.: The efficiency of Cox's likelihood function for censored data. In: *Journal of the American Statistical Association* 72 (1977), S. 557 – 565 [Seite 925.]
- Ehr86. EHRENBERG, Andrew S.: *Statistik oder der Umgang mit Daten*. Weinheim : VCH Verlagsgesellschaft; 344 S., 1986 [Seiten 254 und 255.]
- End72. ENDERLEIN, G.: Die Maximum-Modulus-Methode zum multiplen Vergleich von Gruppenmitteln mit dem Gesamtmittel. In: *Biometrische Zeitschrift* 14 (1972), S. 85–94 [Seiten 644 und 646.]
- ET93. EFRON, B. ; TIBSHIRANI, R.: *An Introduction to the Bootstrap*. New York, London : Chapman and Hall, 1993 [Seite 402.]
- Fag75. FAGAN, T.J.: Nomogram for Bayes's theorem. In: *New England Journal of Medicine* 293 (1975), S. 257 [Seite 196.]
- Fal12. FALISSARD, B.: *psy: Various procedures used in psychometry*. 2012. – R package version 1.1. <https://CRAN.R-project.org/package=psy> [Seite 779.]
- Fay10. FAY, M.P.: Two-sided exact tests and matching confidence intervals for discrete data. In: *R Journal* 2 (2010), Nr. 1, 53-58. <https://journal.r-project.org/archive/2010/RJ-2010-008/index.html> [Seite 377.]
- FBV19. FOX, J. ; BOUCHET-VALAT, M.: *Rcmdr: R Commander*, 2019. – R package version 2.6-1. <https://cran.r-project.org/web/packages/Rcmdr/index.html> [Seite 939.]
- FC85. FROME, E.L. ; CHECKOWAY, H.: Use of Poisson regression models in estimating incidence rates and ratios. In: *American Journal of Epidemiology* 121 (1985), S. 309–323 [Seite 869.]
- FC91. FOUNTAIN, R.L. ; CHOU, Y.-M.: Minimum sample sizes for two-sided tolerance intervals for finite populations. In: *Journal of Quality Technology* 23 (1991), S. 90–95 [Seite 440.]
- FCE69. FLEISS, J.L. ; COHEN, J. ; EVERITT, B.S.: Large sample standard errors of kappa and weighted kappa. In: *Psychological Bulletin* 72 (1969), S. 323–327 [Seiten 778 und 780.]
- FDVM09. FITZMAURICE, G. ; DAVIDIAN, Marie ; VERBEKE, G. ; MOLENBERGH, G.: *Longitudinal Data Analysis*. Boca Raton : Chapman + Hall; pp. 618, 2009 [Seite 882.]
- FE71. FLEISS, J.L. ; EVERITT, B.S.: Comparing the marginal totals of square contingency tables. In: *British Journal of Mathematical and Statistical Psychology* 24 (1971), S. 117–123 [Seite 771.]

- Fer85. FERSCHL, F.: *Deskriptive Statistik*. Würzburg und Wien : Physica-Vlg.; 308 S., 1985 [Seite 205.]
- Fer89. FERGUSON, Th.S.: Who solved the secretary problem? With discussion. In: *Statistical Science* 4 (1989), S. 282–296 [Seite 170.]
- Few09. FEWSTER, R.M.: A simple Explanation of Benford's law. In: *The American Statistician* 63 (2009), S. 26–32 [Seite 170.]
- FF97. FAY, M.P. ; FEUER, E.J.: Confidence intervals for directly adjusted rates: a method based on the gamma distribution. In: *Statistics in Medicine* 16 (1997), S. 791–801 [Seite 379.]
- FG00. FREIDLIN, B. ; GASTWIRTH, J.L.: Should the median test be retired from general use? In: *The American Statistician* 54 (2000), S. 161–164 [Seite 604.]
- FH91. FLEMING, T.R. ; HARRINGTON, D.P.: *Counting Processes and Survival Analysis*. New York : Wiley, 1991 [Seite 934.]
- Fie92. FIENBERG, S.: A brief history of statistics in three and one-half chapters: A review essay. In: *Statistical Science* 7 (1992), S. 208–225 [Seite 158.]
- Fin64. FINUCAN, H.M.: A note on kurtosis. In: *Journal of the Royal Statistical Society Ser. B* 26 (1964), S. 111 + 112 [Seite 221.]
- Fis32. FISHER, R.A.: *Statistical Methods for Research Workers*. Edinburgh : Oliver and Boyd, 1932 [Seite 617.]
- Fis50. FISHER, R.A.: The significance of deviations from expectation in a Poisson Series. In: *Biometrics* 6 (1950), S. 17–24 [Seite 248.]
- Fis59. FISHER, R.A.: *Statistical Methods and Scientific Inference*. 2nd edition. London : Oliver and Boyd, 1959 [Seite 445.]
- Fis60. FISHER, R.A.: *The Design of Experiments*. 7th edition. Edinburgh : Oliver and Boyd, 1960 [Seite 454.]
- Fis73. FISHER, R.A.: *Statistical Methods and Scientific Inference*. 3rd edition. Macmillan, Hafner; pp. 180, 1973 [Seite 461.]
- FK07. FEDERER, W.T. ; KING, F.: *Variations on Split Plot and Split Block Experimental Designs*. Hoboken, New Jersey : Wiley; pp 270, 2007 [Seite 682.]
- FKL09. FAHRMEIR, L. ; KNEIB, T. ; LANG, S.: *Regression: Modelle, Methoden und Anwendungen*. 2. Auflage. Heidelberg : Springer-Verlag; 520 S., 2009 [Seite 153.]
- FKPT00. FAHRMEIR, L. ; KÜNSTLER, R. ; PIGEOT, I. ; TUTZ, G.: *Statistik*. Berlin : Springer, 2000 [Seite 871.]
- Fle81. FLEISS, J.L.: *Statistical Methods for Rates and Proportions*. 2nd edition. New York : Wiley; pp.432, 1981 [Seiten 205, 703, 704, 772, 778, 781 und 895.]
- Fle86. FLEISS, J.L.: *The Design and Analysis of Clinical Experiments*. New York : Wiley; pp. 432, 1986 [Seite 814.]
- FM90. FARRINGTON, C.P. ; MANNING, G.: Test statistics and sample size formulae for comparative binomial trials with null hypothesis of non-zero risk difference or non-unity relative risk. In: *Statistics in Medicine* 9 (1990), S. 1447–1454 [Seiten 725 und 726.]
- FM96. FELTZ, C.J. ; MILLER, G.E.: An asymptotic test for the equality of coefficients of variation fom k populations. In: *Statistics in Medicine* 15 (1996), S. 646–658 [Seite 539.]
- FM05. FEUERMAN, M. ; MILLER, A.R.: The kappa statistic as a function of sensitivity and specificity. In: *International Journal of Mathematical Education in Science and Technology* (2005), S. 517–527 [Seite 777.]
- Fox17. FOX, J.: *Using the R Commander: A Point-and-Click Interface for R*. Chapman and Hall/CRC Press <http://socserv.mcmaster.ca/jfox/Books/RCommander/> [Seite 939.]
- Fre83. FREEDMAN, D.A.: A note on screening regression equations. In: *The American Statistician* 37 (1983), S. 152–155 [Seite 839.]

- Fre10. FREEDMAN, D.H.: *Falsch! Warum uns Experten täuschen und wie wir erkennen, wann wir ihnen nicht vertrauen sollten*. M?nchen : Riemann Verlag; 384 S., 2010 [Seite 456.]
- Fri37. FRIEDMAN, M.: The use of ranks to avoid the assumption of normality implicit in the analysis of variance. In: *Journal of the American Statistical Association* 32 (1937), S. 675–701 [Seite 665.]
- Fri02. FRIENDLY, M.: A brief history of the mosaic display. In: *Journal of Computational and Graphical Statistics* 11 (2002), S. 89–107 [Seite 78.]
- FS11. FRENCH, S. ; SAATSI, J.: *The Continuum Companion to the Philosophy of Science*. New York : Continuum International Publishing Group; pp. 452, 2011 [Seite 10.]
- FT50. FREEMAN, M.F. ; TUKEY, J.W.: Transformations related to the angular and the square root. In: *Annals of Mathematical Statistics* 21 (1950), S. 607–611 [Seite 238.]
- FT86. FOX, J.A. ; TRACY, P.E.: *Randomized Response. A Method for Sensitive Surveys*. Beverly Hills and London : Sage ; pp. 80, 1986 (Sage Publ. Series 07-058) [Seite 12.]
- FW13. FOX, J. ; WEISBERG, S.: *An R Companion to Applied Regression*. 3rd edition. Sage <https://socialsciences.mcmaster.ca/jfox/Books/Companion/> [Seiten 624, 834 und 948.]
- FWLT13. FENG, C. ; WANG, H. ; LU, N. ; TU, X.M.: Log transformation: application and interpretation in biomedical research. In: *Statistics in Medicine* 32 (2013), S. 230–239 [Seiten 288 und 289.]
- FY82. FISHER, R.A. ; YATES, F.: *Statistical Tables for Biological, Agricultural and Medical Research*. 6th edition. Harlow : Longman; pp.146, 1982 [Seite 691.]
- GA90. GORELIK, A.L. ; ABAEV, L.Ch.: Calculating the concordance coefficient of expert judgements in group choice and decision making. In: *Cybernetics and Systems Analysis* 26 (1990), S. 393–399 [Seite 785.]
- Gal86. GALTON, F.: Regression towards mediocrity in hereditary stature. In: *Journal of the Royal Anthropological Institute* 15 (1886), S. 246–263 [Seite 138.]
- Gas71. GASTWIRTH, J.L.: On the sign test for symmetry. In: *Journal of the American Statistical Association* 66 (1971), S. 821–823 [Seite 486.]
- GB09. GENZ, A. ; BRETZ, F.: *Computation of Multivariate Normal and t Probabilities*. Heidelberg : Springer-Verlag, 2009 (Lecture Notes in Statistics, Vol. 195.). – ISBN ISBN 978-3-642-01688-2 [Seite 639.]
- GBH⁺19. GENZ, A. ; BRETZ, F. ; HOTHORN, T. ; MIWA, T. ; MI, X. ; LEISCH, F. ; SCHEIPL, F. ; HOTHORN, T.: *mvtnorm: Multivariate Normal and t Distributions.*, 2019. – R package version 1.0-11. <http://CRAN.R-project.org/package=mvtnorm> [Seite 639.]
- GC63. GRAYBILL, F.A. ; CONNELL, T.L.: Sample size required to estimate the ratio of variances with bounded relative error. In: *Journal of the American Statistical Association* 58 (1963), S. 1044–1047 [Seite 409.]
- Gef92. GEFELLER, O.: Comparison of adjusted attributable risk estimators. In: *Statistics in Medicine* 11 (1992), S. 2083–2091 [Seite 719.]
- Gen07. GENTLE, J.E.: *Matrix Algebra: Theory, Computations and Applications in Statistics*. New York : Springer ; pp. 528, 2007 [Seite 46.]
- GES10. GESIS: *Zusammenstellung sozialwissenschaftlicher Items und Skalen (ZIS)*, Version 14.00. Leibniz-Institut f?r Sozialwissenschaften (GESIS), 2010. <https://www.gesis.org/home/angebot/studien-planen/items-und-skalen/> [Seite 26.]
- GG58. GEISSER, S. ; GREENHOUSE, S.W.: An extension of Box's results on the use of the F distribution in multivariate analysis. In: *The Annals of Mathematical Statistics* 29 (1958), S. 885–891 [Seite 686.]
- GG04. GIESBRECHT, F.G. ; GUMPERTZ, M.L.: *Planning, Construction, and Statistical Analysis of Comparative Experiments*. New York : Wiley; pp. 693, 2004 [Seite 694.]

- GHW74. GRAF, U. ; HENNING, H.J. ; WILRICH, P.T.: *Statistische Methoden bei textilen Untersuchungen*. Berlin : Springer, 1974 [Seite 411.]
- Gil08. GILL, J.: *Bayesian Methods: A Social and Behavioral Sciences Approach*. 2nd edition. Boca Raton : Chapman + Hall; pp. 711, 2008 [Seiten 452 und 453.]
- Gir13. GIRAUDOUX, P.: *pgirmess: Data analysis in ecology*., 2013. – R package version 1.5.7. <http://CRAN.R-project.org/package=pgirmess> [Seite 656.]
- GJ57. GIBSON, Wendy M. ; JOWETT, G.H.: "Three-group" regression analysis. Part I. Simple regression analysis. Part II. Multiple regression analysis. In: *Applied Statistics* 6 (1957), S. 114–122 and 189–197 [Seite 139.]
- GK54. GOODMAN, L.A. ; KRUSKAL, W.H.: Measures of association for cross classifications. In: *Journal of the American Statistical Association* 49 (1954), S. 732–764 [Seite 79.]
- GKAA12. GULHAR, Monika ; KIBRIA, B.M.G. ; ALBATINEH, A.N. ; AHMED, N.U.: A comparison of some confidence intervals for estimating the population coefficient of variation: a simulation study. In: *Statistics and Operations Research Transactions* 36 (2012), S. 45–68 [Seite 408.]
- GL15. GROSS, J. ; LIGGES, U.: *nortest: Tests for Normality*., 2015. – R package version 1.0-4. <https://CRAN.R-project.org/package=nortest> [Seiten 493, 496 und 499.]
- GLFPS19. GAMER, M ; LEMON, J ; FELLOWS PUSPENDRA SINGH, I.: *irr: Various Coefficients of Interrater Reliability and Agreement*., 2019. – R package version 0.84.1. <https://CRAN.R-project.org/package=irr> [Seiten 435, 772, 783 und 785.]
- GM66. GILBERT, J.P. ; MOSTEELLER, F.: Recognizing the maximum of a sequence. In: *Journal of the American Statistical Association* 61 (1966), S. 35–73 [Seite 170.]
- GMM03. GRAHAM, P.L. ; MENGERSEN, K. ; MORTON, P.: Confidence limits for the ratio of two rates based on likelihood scores: non-iterative method. In: *Statistics in Medicine* 22 (2003), S. 2071–2083 [Seite 368.]
- GN96. GREENWOOD, Priscilla E. ; NIKULIN, M.S.: *A Guide to Chi-Squared Testing*. New York : Wiley; pp. 280, 1996 [Seite 492.]
- Goo65. GOODMAN, L.A.: On simultaneous confidence intervals for multinomial proportions. In: *Technometrics* 7 (1965), S. 247–254 [Seite 372.]
- Goo71. GOODMAN, L.A.: The analysis of multidimensional contingency tables: stepwise procedures and direct estimation methods for building models for multiple classifications. In: *Technometrics* 13 (1971), S. 33–61 [Seite 878.]
- Goo05. GOOD, Phillip I.: *Permutation, Parametric, and Bootstrap Tests of Hypotheses*. 3rd edition. New York : Springer; pp. 315, 2005 [Seite 599.]
- Goo06. GOOD, Phillip I.: *Resampling Methods*. 3rd edition. Birkhäuser; pp. 218, 2006 [Seite 601.]
- GOS77. GIBBONS, J.D. ; OLKIN, I. ; SOBEL, M.: *Selecting and Ordering Populations. A New Statistical Methodology*. New York : Wiley; pp 596, 1977 [Seite 170.]
- GR71. GASTWIRTH, J.L. ; RUBIN, H.: Effect of dependence on the level of some one-sample tests. In: *Journal of the American Statistical Association* 66 (1971), S. 816–820 [Seite 130.]
- GR75. GASTWIRTH, J.L. ; RUBIN, H.: The behaviour of robust estimators on dependent data. In: *Annals of Statistics* 3 (1975), S. 1070–1100 [Seite 130.]
- Gre26. GREENWOOD, M.: The natural duration of cancer. In: *Reports on Public Health and Medical Subjects*, Vol. 33. London : Her Majesty's Stationery Office, 1926, S. 1 – 26 [Seite 907.]
- Gri67. GRIZZLE, J.E.: Continuity correction in the χ^2 -test for 2x2 tables. In: *The American Statistician* 21 (1967), S. 28–32 [Seite 701.]
- Gru69. GRUBBS, F.: Procedures for detecting outlying observations in samples. In: *Technometrics* 11 (1969), S. 1–21 [Seite 502.]
- GS89. GATSONIS, C. ; SAMPSON, A.R.: Multiple correlation: exact power and sample size calculation. In: *Psychological Bulletin* 106 (1989), S. 516–524 [Seiten 128 und 797.]

- GT65. GÜNTHER, W.C. ; THOMAS, P.O.: Some graphs useful for statistical inference. In: *Journal of the American Statistical Association* 60 (1965), S. 334–343 [Seite 407.]
- GT94. GRAMBSCH, P. ; THERNEAU, T.M.: Proportional hazards tests and diagnostics based on weighted residuals. In: *Biometrika* 81 (1994), S. 515–526 [Seite 933.]
- Gue65. GÜNTHER, W.C.: *Concepts of Statistical Inference*. New York : McGraw Hill; pp. 353, 1965 [Seite 407.]
- GW93. GEFELLER, O. ; WINDELER, J.: The misuse of attributable and prevented fraction in the evaluation of screening in case-control studies. In: *Cancer Detection and Prevention* 17 (1993), S. 591–599 [Seite 719.]
- GY20. GREENWOOD, M. ; YULE, G.U.: An inquiry into the nature of frequency distributions representative of multiple happenings, with particular reference to the occurrence of multiple attacks of disease or of repeated accidents. In: *Journal of the Royal Statistical Society* 83 (1920), S. 255 [Seite 253.]
- Hah69. HAHN, G.J.: Factors for calculating two-sided prediction intervals for samples from a normal distribution. In: *Journal of the American Statistical Association* 64 (1969), S. 878–888 [Seite 443.]
- Hal45. HALDANE, J.B.S.: On a method of estimating frequencies. In: *Biometrika* 33 (1945), S. 222–225 [Seite 359.]
- Hal92. HALL, P.: *The Bootstrap and Edgeworth Expansion*. Springer Verlag, 1992 [Seiten 67 und 404.]
- Ham85. HAMPEL, F.R.: The breakdown points of the mean combined with some rejection rules. In: *Technometrics* 27 (1985), S. 95–107 [Seite 501.]
- Har42. HART, B.I.: Significance levels for the ratio of the mean square successive difference to the variance. In: *Annals of Mathematical Statistics* 13 (1942), S. 445–447 [Seite 965.]
- Har50. HARTLEY, H.O.: The maximum F-ratio as a short cut test for heterogeneity of variance. In: *Biometrika* 37 (1950), S. 308–312 [Seite 619.]
- Har60. HARTER, H.L.: Tables of range and Studentized range. In: *Annals of Mathematical Statistics* 31 (1960), S. 1122–1147 [Seite 657.]
- Har19a. HARRELL, F.: *rms: Regression Modeling Strategies*., 2019. – R package version 5.1-3.1. <https://CRAN.R-project.org/package=rms> [Seiten 858 und 929.]
- Har19b. HARRELL, F.E.: *Hmisc: Harrell Miscellaneous*., 2019. – R package version 4.3-0. <https://CRAN.R-project.org/package=Hmisc> [Seite 399.]
- Hav90. HAVILAND, M.G.: Yates' correction for continuity and the analysis of 2x2 contingency tables. With discussion. In: *Statistics in Medicine* 9 (1990), S. 363–383 [Seite 701.]
- Hay86. HAYTER, A.J.: The maximum familywise error rate of Fisher's least significant difference. In: *Journal of the American Statistical Association* 81 (1986), S. 1001–1004 [Seite 650.]
- HBW08. HOTHORN, T. ; BRETZ, F. ; WESTFALL, P.: Simultaneous Inference in General Parametric Models. In: *Biometrical Journal* 50 (2008), S. 346–363 [Seiten 634, 636 und 640.]
- HBW19. HOTHORN, T. ; BRETZ, F. ; WESTFALL, P.: *multcomp: Simultaneous Inference in General Parametric Models*., 2019. – R package version 1.4-11. <https://cran.r-project.org/web/packages/multcomp/> [Seiten 672 und 844.]
- HC70. HENDY, M.F. ; CHARLES, J.A. : The production techniques, silver content, and circulation history of the twelfth-century byzantine trachyte. In: *Archaeometry* 12 (1970), S. 13–21 [Seite 545.]
- HD77. HAUCK, W.W. ; DONNER, A.: Wald's Test as applied to hypothesis in logit analysis. In: *Journal of the American Statistical Association* 72 (1977), S. 851–853 [Seite 853.]
- HD82. HARRELL, F.E. ; DAVIS, C.E.: A new distribution-free quantile estimator. In: *Biometrika* 69 (1982), S. 635–640 [Seite 399.]

- HH71. HAHN, G.J. ; HENDRICKSON, R.W.: A table of percentage points of the distribution of the largest absolute value of k Student t variates and its applications. In: *Biometrika* 58 (1971), S. 323–332 [Seite 418.]
- HH19. HOTHORN, T. ; HORNIK, K.: *exactRankTests: Exact Distributions for Rank and Permutation Tests.*, 2019. – R package version 0.8-31. <https://CRAN.R-project.org/package=exactRankTests> [Seiten 520 und 583.]
- HHLS91. HALLORAN, M.E. ; HABER, M. ; LONGINI, I.M. ; STRUCHINER, C.J.: Direct and indirect effects in vaccine efficacy and effectiveness. In: *American Journal of Epidemiology* 133 (1991), S. 232–331 [Seite 203.]
- HHR92. HEINECKE, A. ; HULTSCH, E. ; REPGES, R.: *Medizinische Biometrie: Biomathematik und Statistik*. Berlin : Springer; 287 S., 1992 [Seite 906.]
- HHWZ06. HOTHORN, T. ; HORNIK, K. ; WIEL, M.A. van d. ; ZEILEIS, A.: A Lego System for Conditional Inference. In: *The American Statistician* 60 (2006), S. 257–263 [Seiten 575, 583, 600, 601, 657 und 672.]
- HHWZ08. HOTHORN, T. ; HORNIK, K. ; WIEL, M.A. van d. ; ZEILIES, A.: Implementing a Class of Permutation Tests: The coin Package. In: *Journal of Statistical Software* 28 (2008), Nr. 8, 1-23. <http://jstatsoft.org/v28/i08/> [Seiten 575, 583, 600, 601, 663, 672, 675 und 772.]
- HYH06. HOJSGAARD, S. ; HALEKOH, U. ; YAN, J.: The R Package geepack for Generalized Estimating Equations. In: *Journal of Statistical Software* 15 (2006), 1-11. <https://cran.r-project.org/package=geepack> [Seite 901.]
- HI87. HOAGLIN, D.C. ; IGLEWICZ, B.: Fine-Tuning Some Resistant Rules for Outlier Labeling. In: *Journal of the American Statistical Association* 82 (1987), S. 1147–1149 [Seite 501.]
- Hil65. HILL, A.B.: The environment and disease: association or causation. In: *Proceedings of the Royal Statistical Society of Medicine* 58 (1965), S. 295–300 [Seite 122.]
- HL63. HODGES, J.L. ; LEHMANN, E.L.: Estimates of location based on rank tests. In: *Annals of Mathematical Statistics* 34 (1963), S. 589–611 [Seite 584.]
- HL65. HAYNAM, G.E. ; LEONE, F.C.: Analysis of categorical data. In: *Biometrika* 52 (1965), S. 654–660 [Seite 756.]
- HL82. HEWETT, J.E. ; LABABIDI, Z.: Comparison of three regression lines over a finite interval. In: *Biometrics* 38 (1982), S. 837–841 [Seite 814.]
- HL86. HAVRANEK, T. ; LIENERT, G.A.: Pre-post treatment evaluation by symmetry testing in square contingency table. In: *Biometrical Journal* 28 (1986), S. 927–935 [Seite 770.]
- HL89. HOSMER, D.W. ; LEMESHOW, S.: *Applied Logistic Regression*. New York : Wiley; pp. 307, 1989 [Seite 852.]
- HL99. HOSMER, D.W. ; LEMESHOW, S.: *Applied Survival Analysis: regression modeling of time to event*. New York : Wiley; pp. 386, 1999 [Seiten 911 und 912.]
- HLH83. HANLEY, J.A. ; LIPPMAN-HAND, A.: If nothing goes wrong, is everything all right? Interpreting Zero Numerators. In: *Journal of the American Medical Association* 249 (1983), S. 1743–1745 [Seite 364.]
- HLP85. HOMMEL, G. ; LEHMACHER, W. ; PERLI, H.-G.: Residuenanalyse des Unabhängigkeitsmodells zweier kategorischer Variablen. In: JESDINSKY, H.J. (Hrsg.) ; TRAMPISCH, H.J. (Hrsg.): *Prognose und Entscheidungsfindung in der Medizin*. Bd. 62. Berlin, Heidelberg, New York : Springer; 524 S., 1985, S. 494–503 [Seite 764.]
- HM73. HETTMANSPERGER, T.P. ; MCKEAN, J.W.: On testing for significant change in $c \times c$ tables. In: *Communications in Statistics* 2 (1973), S. 551–560 [Seite 769.]
- HM91. HAHN, G.J. ; MEEKER, W.Q.: *Statistical Intervals: A Guide for Practitioners*. New York : John Wiley; pp. 391, 1991 [Seiten 442 und 443.]

- HO70. HARTER, H.L. ; OWEN, D.B.: *Selected Tables in Mathematical Statistics. Vol. I.* Chicago : Markham, pp. 405, 1970 [Seite 593.]
- Hoc88. HOCHBERG, Y.: A sharper Bonferroni procedure for multiple tests of significance. In: *Biometrika* 75 (1988), S. 800–802 [Seite 615.]
- Hoc91. HOCHSTÄDTER, D.: *Einführung in die statistische Methodenlehre.* 7. Auflage. Frankfurt / M., Thun : H. Deutsch; 744 S., 1991 [Seite 205.]
- Hol79. HOLM, S.: A simple sequentially rejective multiple test procedure. In: *Scandinavian Journal of Statistics* 6 (1979), S. 65–70 [Seite 614.]
- Hot31. HOTELLING, H.: The generalization of Student's ratio. In: *Annals of Mathematical Statistics* 2 (1931), S. 360–378 [Seite 559.]
- Hot53. HOTELLING, H.: New light on the correlation coefficient and its transforms. In: *Journal of the Royal Statistical Society B* 15 (1953), S. 193–232 [Seite 424.]
- How69. HOWE, W.G.: Two-sided tolerance limits for normal populations - some improvements. In: *Journal of the American Statistical Association* 64 (1969), S. 610–620 [Seite 437.]
- Hsu96. HSU, J.C.: *Multiple Comparisons - Theory and Methods.* London : Chapman + Hall; pp. 277, 1996 [Seiten 634 und 641.]
- Hüt86. HÜTTNER, M.: *Prognoseverfahren und ihre Anwendung.* Berlin und New York : De Gruyter; 377 S., 1986 [Seite 331.]
- HTF01. HASTIE, T. ; TIBSHIRANI, R. ; FRIEDMAN, J.: *The Elements of Statistical Learning; Data Mining, Inference, and Prediction.* New York : Springer; pp. 533, 2001 [Seite 155.]
- Hub64. HUBER, P.J.: Robust estimation of a location parameter. In: *Annals of Mathematical Statistics* 35 (1964), S. 73–101 [Seite 142.]
- HV95. HORN, M. ; VOLLMANDT, R.: *Multiple Tests und Auswahlverfahren.* Stuttgart : Gustav Fischer Verlag, 1995 [Seiten 610 und 639.]
- HW99. HOLLANDER, M. ; WOLFE, D.A.: *Nonparametric Statistical Methods.* New York : Wiley; pp. 787, 1999 [Seiten 657 und 672.]
- Hwa84. HWANG, F.K.: Robust group testing. In: *Journal of Quality Technology* 16 (1984), S. 98–124 [Seite 360.]
- HWH⁺19. HOTHORN, T. ; WINELL, H. ; HORNIK, K. ; VAN DE WIEL, M.A. ; ZEILEIS, A.: *coin: Conditional Inference Procedures in a Permutation Test Framework.*, 2019. – Version 1.3-1. <https://cran.r-project.org/web/packages/coin/> [Seiten 575, 583, 600, 601, 657, 663, 672, 675 und 772.]
- IG96. IHAKA, R. ; GENTLEMAN, R.: R: A language for data analysis and graphics. In: *Journal of Computational and Graphical Statistics*. 5 (1996), S. 299 – 314 [Seite 936.]
- IKK69. IRELAND, C.T. ; KU, H.H. ; KULLBACK, S.: Symmetry and marginal homogeneity of an $r \times r$ contingency table. In: *Journal of the American Statistical Association* 64 (1969), S. 1323–1341 [Seite 769.]
- IQA75. IMAN, R.L. ; QUADE, D. ; ALEXANDER, D.A.: *Selected Tables in Mathematical Statistics.. Bd. III: Exact Probability Levels for the Kruskal-Wallis Test.* Providence, Rhode Island : Institute of Mathematical Statistics and American Mathematical Society; pp. 329-384, 1975 [Seite 651.]
- J.E72. J.E., Jackson.: All count distributions are not alike. In: *Journal of Quality Technology* 4 (1972), S. 86–92 [Seite 249.]
- Jef46. JEFFREYS, H.: An invariant form for the prior probability in estimation problems. In: *Mathematical and Physical Sciences* 186 (1946), S. 453–461 [Seite 448.]
- Jen86. JENNINGS, D.E.: Judging inference adequacy in logistic regression. In: *Journal of the American Statistical Association* 81 (1986), S. 471–476 [Seite 853.]
- JKB95. JOHNSON, N.L. ; KOTZ, S. ; BALAKRISHNAN, N.: *Continuous Univariate Distributions.. Bd. 2.* 2nd edition. New York : John Wiley, 1995 [Seite 307.]

- JL97. JOVANOVIC, B.D. ; LEVY, P.S.: A look at the rule of three. In: *The American Statistician* 51 (1997), S. 137–139 [Seite 364.]
- Joh88. JOHNSON, R.: p values in 2 x 2 tables. In: *Biometrics* 44 (1988), S. 907–909 [Seite 725.]
- Jol99. JOLLIFFE, F.R.: Nonresponse. In: *Journal of the Royal Statistical Society* 162 (1999), S. 437–446 [Seite 12.]
- Jon54. JONCKHEERE, A.R.: A distribution-free k-sample test against ordered alternatives. In: *Biometrika* 41 (1954), S. 133–145 [Seite 660.]
- Kal68. KALTON, G.: Standardization: a technique to control for extraneous variables. In: *Applied Statistics* 17 (1968), S. 118–136 [Seite 205.]
- KCFT97. KUCZMARSKI, R.J. ; CAROL, M.D. ; FLEGAL, K.M. ; TROJANO, R.P.: Varying body mass index cutoff points to describe overweight prevalence among U.S. adults: NHANES III (1988 to 1994). In: *Obesity Research* 5 (1997), S. 542–548 [Seite 92.]
- Kel07. KELLEY, K.: Sample size planning for the coefficient of variation from the accuracy in parameter estimation approach. In: *Behavior Research Methods* 39 (2007), S. 755–766 [Seite 408.]
- Kel18. KELLEY, K.: *MBESS: The MBESS R Package.*, 2018. – R package version 4.4.3. <https://CRAN.R-project.org/package=MBESS> [Seite 408.]
- Ker66. KERRICH, J.E.: Fitting the line $y = ax$ when errors of observation are present in both variables. In: *The American Statistician* 20 (1966), S. 24 [Seite 140.]
- KF81. KRAMER, M.S. ; FEINSTEIN, A.R.: Clinical biostatistics. LIV. The biostatistics of concordance. In: *Clinical Pharmacology and Therapeutics*. 29 (1981), S. 111–123 [Seite 338.]
- KFBP20. KONIETSCHKE, F. ; FRIEDRICH, S. ; BRUNNER, E. ; PAUL, M.: *rankFD: Rank-Based Tests for General Factorial Designs.*, 2020. – R package version 0.0.5. <https://CRAN.R-project.org/package=rankFD> [Seite 580.]
- KG90. KENDALL, M. ; GIBBONS, J.D.: *Rank Correlation Methods*. 5th edition. London : Edward Arnold; pp. 260, 1990 [Seite 89.]
- KGK90. KEATING, J.P. ; GLASER, R.E. ; KETCHUM, N.S.: Testing hypothesis about the shape parameter of a Gamma Distribution. In: *Technometrics* 32 (1990), S. 67–82 [Seite 302.]
- KHB70. KASTENBAUM, M.A. ; HOEL, D.G. ; BOWMAN, K.O.: Sample size requirements: one-way analysis of variance. In: *Biometrika* 57 (1970), S. 421–430 [Seite 632.]
- Kim54. KIMBALL, A.W.: Short-cut formulae for the exact partition of χ^2 in contingency tables. In: *Biometrics* 10 (1954), S. 452–458 [Seite 742.]
- Kim69. KIM, P.J.: On the exact and approximate sampling distribution of the two sample Kolmogorov-Smirnov criterion D_{mn} , $m \geq n$. In: *Journal of the American Statistical Association* 64 (1969), S. 1625–1637 [Seite 593.]
- Kit64. KITAGAWA, Evelyn M.: Standardized comparisons in population research. In: *Demography* 1 (1964), S. 296–315 [Seite 205.]
- KL87. KURITZ, S.J. ; LANDIS, J.R.: Attributable risk ratio estimation from matched-pairs case-control data. In: *American Journal of Epidemiology* 125 (1987), S. 324–328 [Seite 718.]
- KLB87. KOHNEN, R. ; LOTZ, R. ; BUSCH, H.: A table of one- and two-tailed fourfold chisquare limits for unconventional alphas. In: *EDV in Medizin und Biologie* 18 (1987), S. 50–54 [Seite 700.]
- Kle01. KLEPPMANN, W.: *Taschenbuch Versuchsplanung. Produkte und Prozesse optimieren*. 2. Auflage. München und Wien : C. Hanser; 281 S., 2001 [Seite 694.]
- KM03. KLEIN, J.P. ; MOESCHBERGER, M.L.: *Survival Analysis: Techniques for Censored and Truncated Data*. 2nd edition. New York : Springer; pp. 536, 2003 [Seite 965.]
- KN00. KOTZ, S. ; NADARAJAH, S.: *Extreme Value Distributions: Theory and Applications*. London : Imperial College Press; pp 196, 2000 [Seite 297.]

- KN01. KRUG, W. ; NOURNEY, M.: *Wirtschafts- und Sozialstatistik: Gewinnung von Daten*. 6. Auflage. München und Wien : Oldenbourg; 448 S., 2001 [Seiten 12 und 330.]
- Koc00. KOCKELKORN, U.: *Lineare statistische Methoden*. München, Wien : R. Oldenbourg; 728 S., 2000 [Seiten 829 und 965.]
- Koe19. KOENKER, R.: *quantreg: Quantile regression.*, 2019. – R package version 5.54. <https://CRAN.R-project.org/package=quantreg> [Seite 143.]
- Kol33. KOLMOGOROFF, A.N.: *Grundbegriffe der Wahrscheinlichkeitsrechnung*. Berlin : Springer, 1933 [Seite 592.]
- Kol63. KOLLER, S.: Typisierung korrelativer Zusammenhänge. In: *Metrika* 6 (1963), S. 65–75 [Seite 123.]
- Kom11. KOMSTA, L.: *outliers: Tests for outliers.*, 2011. – R package version 0.14. <https://CRAN.R-project.org/package=outliers> [Seite 503.]
- Kor86. KORN, E.L.: Sample size tables for bounding small proportions. In: *Biometrics* 42 (1986), S. 213–216 [Seite 511.]
- KP02. KALBFLEISCH, J.D. ; PRENTICE, R.I.: *The Statistical Analysis of Failure Time Data*. 2nd edition. New York : John Wiley; pp. 462, 2002 [Seite 907.]
- Kre93. KREIENBROCK, L.: *Einführung in die Stichprobenverfahren. Lehr- und Übungsbuch der angewandten Statistik*. 2. Auflage. München und Wien : Oldenbourg; 204 S., 1993 [Seite 330.]
- Kri04. KRIPPENDORFF, K.: *Content Analysis: An Introduction to its Methodology*. 2nd edition. Beverly Hills, CA : Sage Publications Ltd; pp. 413, 2004 [Seite 783.]
- Kri13. KRIPPENDORFF, K.: Computing Krippendorff's Alpha-Reliability. / University of Pennsylvania, Penn Libraries. Version: 2013. http://repository.upenn.edu/asc_papers/43. – Forschungsbericht. – Online-Ressource [Seite 783.]
- Kru52. KRUSKAL, W.H.: A nonparametric test for the several sampling problem. In: *Annals of Mathematical Statistics* 23 (1952), S. 525–540 [Seite 651.]
- Kru99. KRUMMENAUER, F.: Erweiterungen von Cohen's kappa-Maß für Multi-Rater-Studien: Eine Übersicht. In: *Informatik, Biometrie und Epidemiologie in Medizin und Biologie* 30 (1999), S. 3–20 [Seite 776.]
- KS67. KENDALL, M.G. ; STUART, A.: *The Advanced Theory of Statistics, Vol. 1*. 2nd edition. New York : Hafner Publishing Co, 1967 [Seite 394.]
- KS89. KAHN, H.A. ; SEMPOS, Ch.T.: *Statistical Methods in Epidemiology*. Oxford and New York : Oxford University Press; pp. 292, 1989 [Seiten 205 und 711.]
- KS95. KULKARNI, P.M. ; SHAH, A.K.: Testing the equality of several binomial proportions to a prespecified standard. In: *Statistics and Probability Letters* 25 (1995), S. 213–219 [Seite 751.]
- KT04. KRISHNAMOORTHY, K. ; THOMSON, J.: A more powerful test for comparing two Poisson means. In: *Journal of Statistical Planning and Inference* 119 (2004), S. 23–35 [Seite 591.]
- KTC04. KRISHNAMOORTHY, K. ; THOMSON, J. ; CAI, Y.: An exact method of testing equality of several binomial proportions to a specified standard. In: *Computational Statistics and Data Analysis* 45 (2004) [Seite 752.]
- KTE96. KELSEY, Jennifer L. ; THOMPSON, W.D. ; EVANS, A.S.: *Methods in Observational Epidemiology*. 2nd edition. New York and Oxford : Oxford Univ. Press; pp. 448, 1996 [Seite 122.]
- Kue00. KUEHL, R.O.: *Design of Experiments. Statistical Principles of Research Design and Analysis*. 2nd edition. Pacific Grove/USA : Duxbury Press; pp. 666, 2000 [Seite 694.]
- KW52. KRUSKAL, W.H. ; WALLIS, W.A.: Use of ranks in one-criterion variance analysis. In: *Journal of the American Statistical Association* 47 (1952), S. 614–617 [Seite 651.]
- Kym68. KYMN, K.O.: The distribution of the sample correlation coefficient under the null hypothesis. In: *Econometrica* 36 (1968), S. 187–189 [Seite 788.]

- Laa70. LAAN, P. van d.: Simple distribution-free confidence intervals for a difference in location. In: *Philips Research Reports Supplement* 5 (1970), S. 158 [Seite 576.]
- Lan71. LAND, C.E.: Confidence intervals for linear functions of the normal mean and variance. In: *Annals of Mathematical Statistics* 42 (1971), S. 1187–1205 [Seite 390.]
- Lan19. LANDSHEER, H.: *UncertainInterval: Uncertain Interval Methods for Three-Way Cut-Point Determination.*, 2019. – R package version 0.5.0. <https://CRAN.R-project.org/package=UncertainInterval> [Seite 197.]
- Lau65. LAUBSCHER, N.F.: Interpolation in F -tables. In: *The American Statistician* 19 (1965), S. 28+40 [Seite 319.]
- LE00. LONG, J.S. ; ERVIN, L.H.: Using heteroscedasticity consistent standard errors in the linear regression model. In: *The American Statistician* 54 (2000), S. 217–223 [Seite 834.]
- Leh70. LEHMANN, W.: Einige Probleme der varianzanalytischen Auswertung von Einzelpflanzenergebnissen. In: *Biometrische Zeitschrift* 12 (1970) [Seite 626.]
- Leh80. LEHMACHER, W.: Simultaneous sign tests for marginal homogeneity of square contingency tables. In: *Biometrical Journal* 22 (1980), S. 795–798 [Seite 770.]
- Leh06. LEHMANN, E.L.: *Nonparametrics: Statistical Methods Based on Ranks*. New York : Springer-Verlag; pp. 464, 2006 [Seite 480.]
- Lem19. LEMON, J.: *crank: Completing Ranks*, 2019. – R package version 1.1-2. <https://CRAN.R-project.org/package=crank> [Seite 675.]
- Lep71. LEPAGE, Y.: A combination of Wilcoxon's and Ansari-Bradley's statistics. In: *Biometrika* 58 (1971), S. 213–217 [Seite 545.]
- Lev60. LEVENE, H.: Robust Tests for equality of variances. In: *I. Olkin et al. (Eds): Contributions to Probability and Statistics. Essays in Honor of Harold Hotelling*. Stanford Univ. Press, 1960, S. 278–292 [Seiten 535 und 624.]
- LF65. LEWONTIN, R.C. ; FELSENSTEIN, J.: The robustness of homogeneity tests in $2 \times n$ tables. In: *Biometrics* 21 (1965), S. 19–33 [Seite 740.]
- LHKL90. LEMESHOW, St. ; HOSMER, D.W. ; KLAR, J. ; LWANGA, St.K.: *Adequacy of Sample Size in Health Studies*. Wiley, pp. 239, 1990 [Seite 712.]
- LHSY02. LIN, L.I. ; HEDAYAT, A.S. ; SINHA, B. ; YANG, M.: Statistical methods in assessing agreement: models, issues and tools. In: *Journal of the American Statistical Association* 97 (2002), S. 257–270 [Seite 433.]
- Lig08. LIGGES, U.: *Programmieren in R*. 3. Auflage. Berlin : Springer Verlag, 251 S., 2008 [Seite 936.]
- Lil67. LILLIEFORS, H.W.: On the Kolmogorov-Smirnov test for normality with mean and variance unknown. In: *Journal of the American Statistical Association* 62 (1967), S. 399–402, Corrigenda **64** (1969) 1702 [Seite 496.]
- Lin89. LIN, L.I.: A concordance correlation coefficient to evaluate reproducibility. In: *Biometrics* 45 (1989), S. 255–268 [Seite 433.]
- Lip58. LIPTAK, T.: On the combination of independent tests. In: *Magyar Tud. Akad. Kutato Int. Kozl.* 3 (1958), S. 171–197 [Seite 618.]
- LK77a. LANDIS, J.R. ; KOCH, G.G.: The measurement of observer agreement for categorical data. In: *Biometrics* (1977), S. 159–174 [Seite 777.]
- LK77b. LANDIS, J.R. ; KOCH, G.G.: A one-way components of the variance model for categorical data. In: *Biometrics* 33 (1977), S. 671–679 [Seite 781.]
- LKM98. LANCASTER, Vicki A. ; KELLER-MCNULTY, Sallie: A review of composite sampling methods. In: *Journal of the American Statistical Association* 93 (1998), S. 1216–1230 [Seite 360.]
- LL96. LIM, T.-S. ; LOH, W.-Y.: A comparison of tests of equality of variances. In: *Computational Statistics and Data Analysis* 22 (1996), S. 287–301 [Seite 624.]

- LL99. LEVY, P.S. ; LEMESHOW, S.: *Sampling of Populations: Methods and Applications*. 3rd edition. New York : John Wiley; pp. 420, 1999 [Seiten 336 und 337.]
- LM08. LEEMIS, L.M. ; MCQUESTON, J.T.: Univariate distribution relationships. In: *The American Statistician* 62 (2008), S. 45–53 [Seite 320.]
- LN04. LEE, Y. ; NELDER, J.A.: Conditional and marginal models: Another view. In: *Statistical Science* 19 (2004), S. 219–238 [Seite 892.]
- Loh99. LOHR, Sharon L.: *Sampling, Design and Analysis*. Pacific Grove : Duxbury Press; pp. 454, 1999 [Seite 12.]
- Lon97. LONG, J. S.: *Regression Models for Categorical and Limited Dependent Variables*. Thousand Oaks : Sage Publications, 1997 [Seite 863.]
- Loy83. LOYER, M.: Bad probability, good statistics, and group testing for binomial estimation. In: *The American Statistician* 37 (1983), S. 57–59 [Seite 360.]
- LR05. LEHMANN, E.L. ; ROMANO, J.P.: *Testing Statistical Hypotheses*. 3rd edition. New York : Springer; pp. 786, 2005 [Seiten 613 und 965.]
- LS67. LIERNERT, G.A. ; SCHULZ, H.: Zum Nachweis von Behandlungswirkungen bei heterogenen Patientenstichproben. In: *Ärztliche Forschung* 21 (1967), S. 448–455 [Seite 658.]
- LSA01. LIMPERT, E. ; STAHEL, W.A. ; ABBT, M.: Log-normal distributions across the sciences: keys and clues. In: *BioScience* 51 (2001), S. 341–352 [Seite 290.]
- LU90. LAWAL, H.B. ; UPTON, G.J.G.: Comparisons of some chi-squared tests for the test of independence in sparse two-way contingency tables. In: *Biometrical Journal* 32 (1990), S. 59–72 [Seite 758.]
- LW82. LAIRD, N.M. ; WARE, J.H.: Random-effects models for longitudinal data. In: *Biometrics* 38 (1982), S. 963–974 [Seiten 887 und 891.]
- Lyn03. LYNN, H.S.: Suppression and confounding in action. In: *The American Statistician* 57 (2003), Nr. 1, S. 58–61 [Seiten 123 und 839.]
- Mad59. MADANSKY, A.: The fitting of straight lines when both variables are subject to error. In: *Journal of the American Statistical Association* 54 (1959), S. 173–205 [Seite 138.]
- MALDCHT91. MARTIN ANDREŠ, A. ; LUNA DEL CASTILLO, J.D. ; HERRANZ TEJEDOR, I.: New critical tables for Fisher's exact test. In: *Journal of Applied Statistics* 18 (1991), S. 233–254 [Seiten 722 und 723.]
- Man66. MANTEL, N.: Evaluation of survival data and two new rank order statistics arising in its consideration. In: *Cancer Chemotherapy Reports* 50 (1966), S. 163–170 [Seite 911.]
- Man97. MANLY, B.F.J.: *Randomization, Bootstrap and Monte Carlo Methods in Biology*. London, New York : Chapman and Hall; pp. 399, 1997 [Seite 599.]
- Mar53. MARTINI, P.: *Methodenlehre der therapeutisch-klinischen Forschung*. Berlin-Göttingen-Heidelberg : Springer Verlag, 1953 [Seiten 740 und 756.]
- Mat10. MATHEWS, P.: *Sample Size Calculations - Practical Methods for Engineers and Scientists*. Faiport Harbor, OH : Mathews Malnar and Bailey Inc., 2010 [Seiten 591 und 592.]
- MB70. MEYER-BAHLBURG, H.F.L.: A nonparametric test for relative spread in k unpaired samples. In: *Metrika* 15 (1970), S. 23–29 [Seite 540.]
- MB86. MASON, A.L. ; BELL, C.B.: New Lilliefors and Srinivasan tables with applications. In: *Communications in Statistics - Simulation and Computation* 15 (1986), S. 451–477 [Seite 496.]
- MB95. MÜLLER, R. ; BÜTTNER, P.: A critical discussion of intraclass correlation coefficients. In: *Statistics in Medicine* 13 (1995), S. 2465–2476 [Seite 436.]
- MB04. MAINDONALD, John ; BRAUN, W. J.: *DAAG: Data Analysis And Graphics*, 2004. – R package version 0.37. <http://www.stats.uwo.ca/DAAG> [Seite 825.]
- MC81. MIETTINEN, O.S. ; COOK, E.F.: Confounding: essence and detection. In: *American Journal of Epidemiology* 114 (1981), S. 593–603 [Seite 200.]

- MC87. MACHIN, D. ; CAMPBELL, M.: *Statistical Tables for the Design of Clinical Trials*. Oxford, London, Edinburgh : Blackwell Scientific Publications, 1987 [Seite 726.]
- McF79. MCFADDEN, D.: Quantitative methods for analysing travel behaviour of individuals. some recent developments. In: HENSHER, D.A. (Hrsg.) ; STOPHER, P.R. (Hrsg.): *Behavioural Travel Modelling*. London : Croom Helm, 1979, S. 279–318 [Seite 862.]
- McG11. McGRAYNE, Sharon B.: *The theory that would not die: how Bayes' rule cracked the enigma code, hunted down Russian submarines, and emerged triumphant from two centuries of controversy*. Yale : Yale University Press; pp. 320, 2011 [Seiten 158, 444 und 453.]
- McN47. McNEMAR, Q.: Note on sampling error of the differences between correlated proportions or percentages. In: *Psychometrika* 12 (1947), S. 153–154 [Seite 727.]
- McN69. McNEMAR, Q.: *Psychological Statistics*. 4th edition. New York : Wiley; pp. 529, 1969 [Seite 123.]
- McP74. MCPHERSON, K.: Statistics: the problem of examining accumulated data more than once. In: *New England Journal of Medicine* 290 (1974), S. 501–502 [Seite 610.]
- MDH⁺19. MEYER, D. ; DIMITRIADOU, Evgenia ; HORNIK, K. ; WEINGESSEL, A. ; LEISCH, F.: *e1071: Misc Functions of the Department of Statistics, ProbabilityTheory Group (Formerly: E1071)*, TU Wien, 2019. – R package version 1.7-3. <https://CRAN.R-project.org/package=e1071> [Seiten 221, 228 und 485.]
- MHGC89. MARCHEVSKY, N. ; HELD, J.R. ; GARCIA-CARRILLO, C.: Probability of introducing diseases because of false negative test results. In: *American Journal of Epidemiology* 130 (1989), S. 611–614 [Seite 193.]
- Mic71. MICHAELIS, J.: Schwellenwerte des Friedman-Tests. In: *Biometrische Zeitschrift* 13 (1971), S. 118–129 [Seite 665.]
- Mil56. MILLER, L.H.: Table of percentage points of Kolmogorov statistics. In: *Journal of the American Statistical Association* 51 (1956), S. 111–121 [Seite 496.]
- Mil91. MILLER, G.E.: Asymptotic test statistics for coefficients of variation. In: *Communications in Statistics - Theory and Methods* 20 (1991), S. 3351–3363 [Seiten 408 und 521.]
- MK07. MOOSBRUGGER, H. ; KELAVA, A.: *Testtheorie und Fragebogenkonstruktion*. Heidelberg : Springer Medizin; 409 S., 2007 [Seite 131.]
- MK19. MARWICK, B. ; KRISHNAMOORTHY, K.: *cvequality: Tests for the Equality of Coefficients of Variation from Multiple Groups.*, 2019. – R package version 0.2.0. <https://CRAN.R-project.org/package=cvequality> [Seite 539.]
- MKJ79. MARDIA, K.V. ; KENT, J.T. ; J.M., Bibby: *Multivariate Analysis*. London : Academic Press; pp 521, 1979 [Seite 559.]
- MM98. MURPHY, K.R. ; MYORS, B.: *Statistical Power Analysis*. Amsterdam : L. Erlbaum, 1998 [Seite 587.]
- Mol70. MOLENAAR, W.: *Approximations to the Poisson, Binomial, and Hypergeometric Distribution Functions*. Amsterdam : Mathematical Centre, pp. 160, 1970 [Seiten 238, 250 und 261.]
- Mol73. MOLENAAR, W.: Simple approximations to the Poisson, Binomial, and Hypergeometric distributions. In: *Biometrics* 29 (1973), S. 403–407 [Seite 238.]
- Mol04. MOLENAAR, I.W.: About handy, handmade and handsome models. In: *Statistica Neerlandica* 58 (2004), S. 1–20 [Seite 554.]
- Mon05. MONTGOMERY, D.C.: *Design and Analysis of Experiments*. 6th edition. New York : Wiley; pp. 643, 2005 [Seiten 691 und 694.]
- Moo54. MOOD, A.M.: On the asymptotic efficiency of certain nonparametric two-sample tests. In: *Annals of Mathematical Statistics* 25 (1954), S. 514–522 [Seite 544.]
- Moo88. MOORS, J.J.A.: A quantile alternative for kurtosis. In: *Statistician* 37 (1988), S. 25–32 [Seite 225.]

- Mos48. MOSTELLER, F.: A k-sample slippage test for an extreme population. In: *Annals of Mathematical Statistics* 19 (1948), S. 58–65 [Seite 597.]
- MOS71. MENDENHALL, W. ; OTT, L. ; SCHEAFFER, R.L.: *Elementary Survey Sampling*. Belmont, California : Wadsworth, 1971 [Seite 390.]
- MPG85. MEHTA, C.R. ; PATEL, N.R. ; GRAY, R.: Computing an exact confidence interval for the common odds ratio in several 2x2 contingency tables. In: *Journal of the American Statistical Association* 80 (1985), S. 969–973 [Seite 711.]
- MRR92. MENG, X.-L. ; ROSENTHAL, R. ; RUBIN, D.B.: Comparing correlation coefficients. In: *Psychological Bulletin* 111 (1992), S. 172–175 [Seite 790.]
- MS88. MARASCUILLO, L.A. ; SERLIN, R.C.: *Statistical Methods for the Social Sciences*. New York : W.H. Freeman, 1988 [Seite 743.]
- MS14. MANUILOVA, E. ; SCHUETZENMEISTER, A.: *mcr: Method Comparison Regression*., 2014. – R package version 1.2.1. <https://CRAN.R-project.org/package=mcr> [Seiten 429 und 430.]
- MSL87. MEE, R.W. ; SHAH, A.K. ; LEFANTE, J.J.: Comparing k independent sample means with a known standard. In: *Journal of Quality Technology* 19 (1987), S. 75–81 [Seite 660.]
- MT49. MOSTELLER, F. ; TUKEY, J.W.: The uses and usefulness of binomial probability paper. In: *Journal of the American Statistical Association* 44 (1949), S. 1457–1483 [Seite 238.]
- MTL78. MCGILL, R. ; TUKEY, J.W. ; LARSEN, W.A.: Variations of Box Plots. In: *The American Statistician* 32 (1978), S. 12–16 [Seite 394.]
- Mun84. MUNDEL, A.B.: Group testing. In: *Journal of Quality Technology* 16 (1984), S. 181–188 [Seite 361.]
- MW47. MANN, H.B. ; WHITNEY, D.R.: On a test of whether one of two random variables is stochastically larger than the other. In: *Annals of Mathematical Statistics* 18 (1947), S. 50–60 [Seiten 566 und 571.]
- MY61. MOSTELLER, F. ; YOUTZ, C.: Tables of the Freeman-Tukey transformation for the binomial and the Poisson distributions. In: *Biometrika* 48 (1961), S. 433–440 [Seite 238.]
- MY05. MCGRATH, R.N. ; YEH, A.B.: A quick, compact, two-sample dispersion test: count five. In: *The American Statistician* 59 (2005), S. 47–53 [Seite 597.]
- MZH20. MEYER, D. ; ZEILEIS, A. ; HORNIK, K.: *vcd: Visualizing Categorical Data*., 2020. – R package version 1.4-7. <https://cran.r-project.org/package=vcd> [Seiten 711, 778 und 780.]
- Nad64. NADARAYA, E.A.: On estimating regression. In: *Theory of Probability and its Applications* 9 (1964), S. 141–142 [Seite 155.]
- Nag91. NAGELKERKE, N.J.D.: A note on a general definition of the coefficient of determination. In: *Biometrika* 78 (1991), S. 691–693 [Seite 863.]
- Nat10. NATRELLA, Mary ; CROARKIN, Carroll (Hrsg.) ; TOBIAS, P. (Hrsg.) ; FILIBEN, J.J. (Hrsg.) ; HEMBREE, B. (Hrsg.) ; GUTHRIE, W. (Hrsg.) ; TRUTNA, L. (Hrsg.) ; PRINS, J. (Hrsg.): *Handbook 151: NIST/SEMATECH e-Handbook of Statistical Methods*. NIST Interagency/Internal Report (NISTIR) <https://www.itl.nist.gov/div898/handbook/index.htm> [Seite 532.]
- NBB02. NEUBAUER, W. ; BELLGARDT, E. ; BEHR, A.: *Statistische Methoden - Ausgewählte Kapitel für Wirtschaftswissenschaftler*. München : Franz Vahlen, 2002 [Seite 829.]
- ND75. NEILL, J.J. ; DUNN, O.J.: Equality of dependent correlation coefficients. In: *Biometrics* 31 (1975), S. 531–543 [Seite 790.]
- Nel70. NELSON, W.: Confidence intervals for the ratio of two Poisson means and Poisson predictor intervals. In: *IEEE Transactions on Reliability* 19 (1970), Nr. 2, S. 42–49 [Seite 378.]
- Nel72. NELSON, W.B.: Theory and applications of hazard plotting for censored failure data. In: *Technometrics* 14 (1972), S. 945 – 965 [Seite 910.]

- Nel91. NELSON, L.S.: Power in Comparing Poisson Means: I. One -Sample Test. In: *Journal of Quality Technology* 23 (1991), S. 68–70 [Seite 531.]
- Nem63. NEMENYI, P.: *Distribution-Free Multiple Comparisons*. New York : State University of New York. Downstate Medical Center, 1963 [Seite 657.]
- New98a. NEWCOMBE, R.G.: Interval estimation for the difference between independent proportions: Comparison of eleven methods. In: *Statistics in Medicine* 17 (1998), S. 873–890 [Seite 366.]
- New98b. NEWCOMBE, R.G.: Two-sided confidence intervals for the single proportion: comparison of seven methods. In: *Statistics in Medicine* 17 (1998), S. 857–872 [Seite 362.]
- New06. NEWCOMBE, R.G.: A deficiency of the odds ratio as a measure of effect size. In: *Statistics in Medicine* 25 (2006), S. 4235–4240 [Seite 708.]
- Ney50. NEYMAN, J.: *First Course in Probability and Statistics*. New York : Holt, 1950 [Seite 354.]
- Noe87. NOETHER, G.E.: Sample size determination for some common nonparametric tests. In: *Journal of the American Statistical Association* 82 (1987), S. 645–647 [Seiten 579, 589 und 803.]
- NP33. NEYMAN, J. ; PEARSON, E.S.: On the problem of the most efficient type of statistical hypothesis. In: *Philosophical Transactions of the Royal Society A* 231 (1933), S. 289–337 [Seite 461.]
- NS60. NEYMAN, J. ; SCOTT, E.L.: Correction for bias introduced by a transformation of variables. In: *Annals of Mathematical Statistics* 31 (1960), S. 643–655 [Seite 627.]
- Nuz14a. NUZZO, R.: Der Fluch des p-Werts. In: *Spektrum der Wissenschaft* Jahrgang 2014 (2014), Nr. September, S. 52–56 [Seite 462.]
- Nuz14b. NUZZO, R.: Statistical Errors: P-values, the gold standard of statistical validity, are not as reliable as many scientists assume. In: *Nature* 506 (2014), S. 150–153 [Seite 462.]
- OCO87. ODEH, R.E. ; CHOU, Y.-M. ; OWEN, D.B.: The precision for coverages and sample size requirements for normal tolerance intervals. In: *Communications in Statistics - Simulation and Computation* 16 (1987), S. 969–985 [Seite 439.]
- OCO89. ODEH, R.E. ; CHOU, Y.-M. ; OWEN, D.B.: Sample-size determination for two-sided β -expectation tolerance intervals for a normal distribution. In: *Technometrics* 31 (1989), S. 461–468 [Seite 439.]
- Ode77. ODEH, R.E.: Extended tables of the distribution of Friedman's S-statistic in the two-way layout. In: *Communications in Statistics - Simulation and Computation* B6 (1977), S. 29–48 [Seiten 665, 666 und 965.]
- Ode78. ODEH, R.E.: Tables of two-sided tolerance factors for a normal distribution. In: *Communications in Statistics - Simulation and Computation* 7 (1978), S. 183–201 [Seite 438.]
- Ode82a. ODEH, R.E.: Critical values of the sample product-moment correlation coefficient in the bivariate distribution. In: *Communications in Statistics - Simulation and Computation* 11 (1982), S. 1–26 [Seiten 787 und 965.]
- Ode82b. ODEH, R.E.: Tables of percentage points of the distribution of the maximum absolute value of equally correlated normal random variables. In: *Communications in Statistics - Simulation and Computation* 11 (1982), S. 65–87 [Seite 965.]
- OF04. O'HAGAN, A. ; FORSTER, J.: *Bayesian Inference*. 2nd edition. London : Arnold, 2004 (Kendall's Advanced Theory of Statistics, Vol. 2B) [Seite 453.]
- Oke82. OKEN, M.M. et al.: Toxicity and response criteria of the eastern cooperative oncology group. In: *American Journal of Clinical Oncology* 5 (1982), S. 649 – 655 [Seite 925.]
- Ols05. OLSSON, U.: Confidence intervals for the mean of a log-normal distribution. In: *Journal of Statistics Education* 13 (2005). – www.amstat.org/publications/jse/v13n1/olsson.html [Seite 390.]
- Owe68. OWEN, D.B.: A survey of properties and applications of the noncentral t -distribution. In: *Technometrics* 10 (1968), S. 445–478 [Seite 308.]

- Pag63. PAGE, E.B.: Ordered hypotheses for multiple treatments: A significance test for linear ranks. In: *Journal of the American Statistical Association* 58 (1963), S. 216–230 [Seiten 673 und 965.]
- Paw01. PAWITAN, Y.: *In All Likelihood*. Oxford, New York : Oxford Univ. Press; pp. 528, 2001 [Seite 346.]
- PB61. PILLAI, K.C.S. ; BUENAVENTURA, A.R.: Upper percentage points of a substitute F-ratio using ranges. In: *Biometrika* 48 (1961), S. 195–196 [Seite 965.]
- PB83. PASSING, H. ; BABLOK, W.: A new biometrical procedure for testing the equality of measurements from two different analytical methods. Application of linear regression procedures for method comparison studies in Clinical Chemistry, Part I. In: *Journal of Clinical Chemistry and Clinical Biochemistry* 21 (1983), S. 709–720 [Seite 429.]
- PB00. PRICE, R.M. ; BONETT, D.G.: Estimating the ratio of two two Poisson rates. In: *Computational Statistics and Data Analysis* 34 (2000), Nr. 3, S. 345–356 [Seite 377.]
- PB02. PRICE, R.M. ; BONETT, D.G.: Distribution-free confidence intervals for difference and ratio of means. In: *Journal of Statistical Computation and Simulation* 72 (2002), S. 119–124 [Seite 396.]
- PB09. PINHEIRO, J.C. ; BATES, D.M.: *Mixed-Effects Models in S and S-PLUS*. 2nd print. New York : Springer ; pp 530, 2009 [Seiten 146, 686, 882, 888 und 892.]
- PBDS20. PINHEIRO, Jose ; BATES, Douglas ; DEBROY, Saikat ; SARKAR, Deepayan: *nlme: Linear and Nonlinear Mixed Effects Models.*, 2020. – R package version 3.1-148. <https://CRAN.R-project.org/package=nlme> [Seiten 889, 892 und 896.]
- PCK⁺96. PEDUZZI, P. ; CONCATO, J. ; KEMPER, E. ; HOLFORD, T.R. ; FEINSTEIN, A.R.: A simulation study of the number of events per variable in logistic regression analysis. In: *Journal of Clinical Epidemiology* 49 (1996), S. 1373–1379 [Seite 856.]
- PE78. PFEIFER, Ch.G. ; ENIS, P.: Dorfman-type group testing for a modified binomial model. In: *Journal of the American Statistical Association* 73 (1978), S. 588–592 [Seite 360.]
- Pea04. PEARSON, K.: *On the Theory of Contingency and its Relation to Association and Normal Correlation*. London : Drapers' Co. Memoirs, 1904 (Biometric Series No. 1; pp 1-35) [Seite 762.]
- PH72. PEARSON, E.S. ; HARTLEY, H.O. Eds.: *Biometrika Tables for Statisticians (Vol. I and II)*. Cambridge : Cambridge Univ. Press; pp. 270 and pp. 385, 1970 , 1972 [Seite 498.]
- Pit49. PITMAN, E.J.G.: *Lecture Notes on Nonparametric Statistics*. New York : Columbia University, 1949 [Seite 480.]
- Pit93. PITMAN, J.: *Probability*. New York, Heidelberg, Berlin : Springer; pp. 559, 1993 [Seite 965.]
- PJL06. PAL, N. ; JIN, C. ; LIM, W.K.: *Handbook of Exponential and Related Distributions for Engineers and Scientists*. London : Chapman and Hall / CRC; pp 339, 2006 [Seite 302.]
- Poc84. POCOCK, S.T.: *Clinical Trials: A Practical Approach*. Chichester : John Wiley; pp 942, 1984 [Seite 610.]
- Poh19. POHLERT, T.: *The pairwise multiple comparison of mean ranks package (PMCMR)*., 2019. – R package version 4.3. <http://CRAN.R-project.org/package=PMCMR> [Seite 677.]
- Pok97. POKROPP, F.: *Stichproben - Theorie und Verfahren*. 2. Auflage. K?nigstein : Athenäum; 266 S., 1997 [Seite 330.]
- Poo89. POOLE, J.H.: Mate guarding, reproductive success and female choice in African elephants. In: *Animal Behaviour* 37 (1989), S. 842–849 [Seite 868.]
- Pot65. POTTHOFF, R.F.: Some Scheffe-type tests for some Behrens-Fisher type regression problems. In: *Journal of the American Statistical Association* 60 (1965), S. 1163–1190 [Seite 813.]

- PS64. PEARSON, E.S. ; STEPHENS, M.A.: The ratio of range to standard deviation in the same normal sample. In: *Biometrika* 51 (1964), S. 484–487 [Seite 483.]
- PS96. PINCUS, S. ; SINGER, B.H.: Randomness and degrees of irregularity. In: *Proceedings of the National Academy of Sciences* 93 (1996), S. 2083–2088 [Seite 334.]
- Puk94. PUKELSHEIM, F.: The three sigma rule. In: *The American Statistician* 48 (1994), S. 88–91 [Seite 275.]
- PW40. PRZYBOROWSKI, J. ; WILENSKI, H.: Homogeneity of results in testing samples from Poisson series. In: *Biometrika* 31 (1940), S. 313–323 [Seite 589.]
- Qua79. QUADE, D.: Using weighted rankings in the analysis of complete blocks with additive block effects. In: *Journal of the American Statistical Association* 74 (1979), S. 680–682 [Seite 675.]
- R D14. R DEVELOPMENT CORE TEAM: *R: A language and environment for statistical computing*. Vienna, Austria: R Foundation for Statistical Computing, 2014. – <http://www.R-project.org/> [Seite 936.]
- Ram81. RAMSAY, P.H.: Power of univariate pairwise multiple comparison procedures. In: *Psychological Bulletin* 90 (1981), S. 352–366 [Seite 637.]
- Ras95. RASCH, D.: *Mathematische Statistik*. Heidelberg : J.A. Barth; 851 S., 1995 [Seite 965.]
- RAW06. ROYSTON, P. ; ALTMAN, D.G. ; W., SAUERBREI: Dichotomizing continuous predictors in multiple regression: a bad idea. In: *Statistics in Medicine* 25 (2006), S. 127–141 [Seite 845.]
- RC56. RAO, C.R. ; CHAKRAVARTI, I.M.: Some small sample tests of significance for a Poisson distribution. In: *Biometrics* 12 (1956), S. 264–282 [Seite 249.]
- RD66. ROETHLISBERGER, F.J. ; DICKSON, W.J.: *Management and the Worker*. 14th edition. Cambridge/Mass. : Harvard University Press, 1966 [Seite 15.]
- Rev19. REVELLE, W.: *psych: Procedures for Psychological, Psychometric, and Personality Research.*, 2019. – R package version 1.9.12. <https://CRAN.R-project.org/package=psych> [Seite 132.]
- RG98. ROTHMAN, K.J. ; GREENLAND, S.: *Modern Epidemiology*. 2nd edition. Philadelphia : Lippincott, Williams and Wilkins, 1998 [Seite 965.]
- RHB⁺96. RASCH, D. ; HERRENDÖRFER, G. ; BOCK, J. ; VICTOR, N. ; GUIARD, V. (Hrsg.): *Verfahrensbibliothek; Versuchsplanung und -auswertung (Band I und II)*. M?nchen, Wien : R. Oldenbourg, 1996 [Seite 965.]
- RHW89. REIBNEGGER, G. ; HAUSEN, A. ; WACHTER, H.: Null results when diagnostic tests are imperfect. In: *The Lancet* 2 (1989) [Seite 364.]
- Rin08a. RINNE, H.: *Taschenbuch der Statistik*. 4. Auflage. Frankfurt am Main : Harri Deutsch; 1060 S., 2008 [Seite 965.]
- Rin08b. RINNE, H.: *The Weibull Distribution. A Handbook*. Boca Raton, London, New York : CRC Press; pp. 784, 2008 [Seite 296.]
- RL87. ROUSSEEUW, P.J. ; LEROY, A.M.: *Robust Regression and Outlier Detection*. New York : John Wiley, 1987 [Seite 142.]
- RL02. RYAN, G.W. ; LEADBETTER, S.D.: On the misuse of confidence intervals for two means in testing for the significance of the difference between the means. In: *Journal of Modern Applied Statistical Methods* 1 (2002), S. 473–478 [Seite 554.]
- Rüm82. RÜMKE, Chr.L: How long is the wait for an unknown event? In: *Journal of Chronic Diseases* 35 (1982), S. 561–564 [Seiten 463 und 464.]
- Rog80. ROGOSA, D.: Comparing nonparallel regression lines. In: *Psychological Bulletin* 88 (1980), S. 307–321 [Seite 814.]
- Ros53. ROSENBAUM, S.: Tables for a nonparametric test of dispersion. In: *Annals of Mathematical Statistics* 24 (1953), S. 663–668 [Seite 598.]

- Ros54. ROSENBAUM, S.: Tables for a nonparametric test of location. In: *Annals of Mathematical Statistics* 25 (1954), S. 146–150 [Seite 598.]
- Ros02. ROSENBAUM, P.R.: *Observational Studies*. 2nd edition. New York : Springer ; pp. 375, 2002 [Seite 12.]
- Ros10. ROSENBAUM, P.R.: *Design of Observational Studies*. New York : Springer; pp. 402, 2010 [Seiten 12 und 864.]
- Roy82a. ROYSTON, P.: Algorithm AS 181: The W test for normality. In: *Applied Statistics* 31 (1982), S. 176–180 [Seite 499.]
- Roy82b. ROYSTON, P.: An extension of Shapiro and Wilk's W test for normality to large samples. In: *Applied Statistics* 31 (1982), S. 115–124 [Seite 499.]
- Roy84. ROYEN, Th.: Multiple comparisons of polynomial distributions. In: *Biometrical Journal* 26 (1984), S. 319–332 [Seite 765.]
- RRG06. RING, Christina ; RYLL, A. ; GAUS, W.: Das Bestimmtheitsmaß R^2 bei linearen Regressionsmodellen mit und ohne Intercept - die Tücken der Statistikprogramme. In: *Wirtschaftswissenschaftliches Studium (WiSt) Heft 11 - November 2006* 35 (2006), S. 607–612 [Seite 823.]
- RS92. RAO, J.N.K. ; SCOTT, A.J.: A simple method for the analysis of clustered binary data. In: *Biometrics* 48 (1992), S. 577–585 [Seite 894.]
- RS09. RAO, C.V. ; SWARUPCHAND, U.: Multiple comparison procedures - a note and a bibliography. In: *Journal of Statistics* 16 (2009), S. 66–109 [Seite 634.]
- Rya60. RYAN, T.A.: Significance tests for multiple comparisons of proportions, variances and other statistics. In: *Psychological Bulletin* 57 (1960), S. 318–328 [Seite 745.]
- Rya07. RYAN, Th.P.: *Modern Experimental Design*. Hoboken, New Jersey : Wiley; pp. 593, 2007 [Seite 694.]
- SA87. SHIFFLER, R.E. ; ADAMS, A.J.: A correction for biasing effects of pilot sample size on sample size determination. In: *Journal of Marketing Research* 24 (1987), S. 319–321 [Seiten 385 und 965.]
- SA00. SAHAI, H. ; AGEEL, M.I.: *The Analysis of Variances; Fixed, Random and Mixed Models*. Boston, Basel, Berlin : Birkhäuser; pp. 742, 2000 [Seite 965.]
- Sac79. SACKETT, D.L.: Bias in Analytical Research. In: *Journal of Chronical Diseases* 32 (1979), S. 51–63 [Seite 14.]
- Sac84. SACHS, L.: *Applied Statistics. A Handbook of Techniques*. 2nd edition. New York, Heidelberg, Berlin : Springer; pp. 707, 1984 [Seiten 484, 814 und 965.]
- Sac86a. SACHS, L.: Alternatives to the chi-square test of homogeneity in 2×2 tables and to Fisher's exact test. In: *Biometrical Journal* 28 (1986), S. 975–979 [Seiten 699 und 965.]
- Sac86b. SACHS, L.: *A Guide to Statistical Methods and to the Pertinent Literature. Literatur zur Angewandten Statistik*. Berlin, Heidelberg, New York : Springer; 212 S., 1986 [Seiten 694 und 965.]
- Sac90. SACHS, L.: *Statistische Methoden 2: Planung und Auswertung*. Berlin, Heidelberg, New York : Springer; 273 S., 1990 [Seiten 499, 550, 638, 639, 669, 742 und 965.]
- Sac93. SACHS, L.: *Statistische Methoden: Planung und Auswertung*. 7. Auflage. Berlin, Heidelberg, New York : Springer; 312 S., 1993 [Seiten 745, 764, 765 und 965.]
- Sac06. SACHS, L.: *Einführung in die Stochastik und das stochastische Denken*. Frankfurt am Main : H. Deutsch; 182 S., 2006 [Seiten 20, 552, 598, 689 und 965.]
- Sam70. SAMIUDDIN, M.: On a test for an assigned value of correlation in a bivariate normal distribution. In: *Biometrika* 57 (1970), S. 461–464 [Seite 788.]
- Sav61. SAVAGE, I.R.: Probability inequalities of the Tchebycheff type. In: *Journal of Research of the National Bureau of Standards* 65B (1961), Nr. 3, S. 211–222 [Seite 218.]

- SBB91. SAMUELS, S.J.. ; BEAUMONT, J.J. ; BRESLOW, N.E.: Power and detectable risk of seven tests for standardized mortality ratios. In: *American Journal of Epidemiology* 133 (1991), S. 1191–1197 [Seite 380.]
- SBDR19. STOREY, J.D. ; BASS, A.J. ; DABNEY, A. ; ROBINSON, D.: *qvalue: Q-value estimation for false discovery rate control.*, 2019. – R package version 2.16.0. <http://github.com/jdstorey/qvalue> [Seite 617.]
- SC82. SNEDECOR, G.W. ; COCHRAN, W.G.: *Statistical Methods*. 7th edition. Ames, Iowa, USA : The Iowa State University Press; pp. 507, 1982 [Seite 692.]
- SC88. SIEGEL, S. ; CASTELLAN, N.J.: *Non parametric statistics for the behavioural sciences*. 2nd edition. New York : MacGraw Hill Int.; pp 399, 1988 [Seite 656.]
- Sch53. SCHEFFÉ, H.: A method for judging all contrasts in the analysis of variance. In: *Biometrika* 40 (1953), S. 87–104 [Seite 647.]
- Sch70. SCHEFFÉ, H.: Practical solutions of the Behrens-Fisher problem. In: *Journal of the American Statistical Association* 65 (1970), S. 1501–1508 [Seite 551.]
- Sch78. SCHWARZ, G.: Estimating the dimension of a model. In: *Annals of Statistics* 6 (1978), S. 461–464 [Seite 839.]
- Sch83. SCHOENFELD, D.A.: Sample size formula for the proportional-hazards regression model. In: *Biometrics* 39 (1983), S. 499–503 [Seite 912.]
- Sch97. SCHNELL, R.: *Nonresponse bei Bevölkerungsumfragen*. Opladen : Leske + Budrich; 324 S., 1997 [Seite 12.]
- Sch11. SCHURZ, G.: *Einführung in die Wissenschaftstheorie*. 3. Auflage. Darmstadt : Wissenschaftliche Buchgesellschaft; 207 S., 2011 [Seite 11.]
- Scr17. SCRUCCA, Luca: *qcc: an R package for quality control charting and statistical process control*, 2017. – R package version 2.7. <https://cran.r-project.org/package=qcc> [Seite 118.]
- SE43. SWED, Frida S. ; EISENHART, C.: Tables for testing randomness of grouping in a sequence of alternatives. In: *Annals of Mathematical Statistics* 14 (1943), S. 83–86 [Seite 965.]
- Sea83. SEARLE, S.R.: The recurrence formulae for means and variances. In: *Teaching Statistics* 5 (1983), S. 7–10 [Seite 96.]
- Sei97. SEIFE, Ch.: New test sizes up randomness. In: *Science* 276 (1997), S. 532 [Seite 334.]
- Sek11. SEKHON, Jasjeet S.: Multivariate and Propensity Score Matching Software with Automated Balance Optimization: The Matching Package for R. In: *Journal of Statistical Software* 42 (2011), Nr. 7, 1-52. <http://www.jstatsoft.org/v42/i07/> [Seite 864.]
- Sev00. SEVERINI, T.A.: *Likelihood Methods in Statistics*. Oxford, New York : Oxford Univ. Press; pp. 392, 2000 [Seite 346.]
- SF79. SHROUT, P.E. ; FLEISS, J.L.: Intraclass correlation: Uses in assessing rater reliability. In: *Psychological Bulletin* 86 (1979), S. 420–428 [Seite 435.]
- SFDM87. SIMEL, D.L. ; FEUSSNER, J.R. ; DELONG, Elizabeth R. ; MATCHAR, D.B.: Intermediate, Indeterminate, and Uninterpretable Diagnostic Test Results. In: *Medical Decision Making* 7 (1987), S. 107–114 [Seite 197.]
- SFH89. SIDDHARTA, R.D. ; FOWLKES, E.B. ; HANDLEY, B.: Risk analysis of the space shuttle: Pre-challenger prediction of failure. In: *Journal of the American Statistical Association* 84 (1989), S. 945–957 [Seite 850.]
- SG95. SISON, Christina P. ; GLAZ, J.: Simultaneous confidence intervals and sample size determination for multinomial proportions. In: *Journal of the American Statistical Association* 90 (1995), S. 366–369 [Seite 372.]
- Sha48. SHANNON, C.E.: A mathematical theory of communication. In: *Bell System Technical Journal* 27 (1948), S. 379–423 [Seite 73.]

- She72. SHEYNIN, O.B.: On the mathematical treatment of observations by Euler. In: *Archive for History of Exact Sciences* 9 (1972), S. 45–56 [Seite 159.]
- She76. SHEYNIN, O.B.: Laplace's work on probability. In: *Archive for History of Exact Sciences* 16 (1976), Nr. 2, S. 137–187 [Seite 159.]
- She77. SHEESSLEY, J.H.: Tests for outlying observations. In: *Journal of Quality Technology* 9 (1977), S. 38–41 [Seite 503.]
- She79. SHEYNIN, O.B.: Gauss and the Theory of errors. In: *Archive for History of Exact Sciences* 20 (1979), Nr. 1, S. 21–72 [Seite 159.]
- She05. SHEYNIN, O.B.: *Theory of Probability. A Historical Essay*. Berlin (Tel.: 030/4442460; Fax.: 030/44739165) : NG Verlag; pp. 278, 2005 [Seite 965.]
- She07. SHESKIN, D. J.: *Handbook of Parametric and Nonparametric Statistical Procedures*. 4th edition. Boca Raton, Florida : Chapman and Hall; pp. 1736, 2007 [Seite 965.]
- Shu73. SHUKLA, G.K.: Some exact tests of hypotheses about Grubb's estimators. In: *Biometrics* (1973), S. 373–377 [Seite 431.]
- Sim49. SIMPSON, E.H.: Measurement of diversity. In: *Nature* 163 (1949), S. 688 [Seite 72.]
- Sim51. SIMPSON, E.H.: The interpretation of interaction in contingency tables. In: *Journal of the Royal Statistical Society (Series B)* 13 (1951), S. 238–241 [Seite 79.]
- Sim86. SIMES, R.J.: An improved Bonferroni procedure for multiple tests of significance. In: *Biometrika* 73 (1986), S. 751–754 [Seite 615.]
- SK90. STORER, B.E. ; KIM, Ch.: Exact properties of some exact statistics for comparing two binomial proportions. In: *Journal of the American Statistical Association* 85 (1990), S. 146–155 [Seite 701.]
- SK93. SAHAI, H. ; KHURSHID, A.: Confidence intervals for the mean of a Poisson distribution: a review. In: *Biometrical Journal* 35 (1993), S. 857–867 [Seite 373.]
- SM88. SMITH, Judith A. ; MCHUGH, R.B.: Sample size requirements in studies of the etiologic fraction. In: *Biometrical Journal* 30 (1988), S. 187–201 [Seite 718.]
- SM11. SAINT-MONT, U.: *Statistik im Forschungsprozess. Eine Philosophie der Statistik als Baustein einer integrativen Wissenschaftstheorie*. Springer/Physica-Verlag; 675 S., 2011 [Seite 10.]
- Smi39. SMIRNOFF, N.W.: On the estimation of the discrepancy between empirical curves of distribution for two independent samples. In: *Bulletin de l'Universite de Moskov, Serie Internationale Section Sect. A2* (1939), S. 3–19 [Seite 592.]
- SMO96. SCHEAFFER, R.L. ; MENDENHALL, W. ; OTT, L.: *Elementary Survey Sampling*. 5th edition. Belmont, California : Duxbury Press; pp. 501, 1996 [Seite 330.]
- SO94. STUART, A. ; ORD, J.K.: *Kendall's Advanced Theory of Statistics. Vol. I: Distribution Theory*. 6th edition. Sevenoaks, Kent : E. Arnold, 1994 [Seite 224.]
- Sol83. SOLBERG, H.E.: The theory of reference values. Part 5. Statistical treatment of collected reference values. Determination of reference limits. In: *Journal of Clinical Chemistry and Clinical Biochemistry* 21 (1983), S. 749–760 [Seiten 399 und 400.]
- Spe04. SPEARMAN, C.: The proof and measurement of association between two things. In: *American Journal of Psychology* 15 (1904), S. 72–101 [Seite 965.]
- SPLB05. SCHISTERMAN, E.F. ; PERKINS, N.J. ; LIU, A. ; BONDELL, H.: Optimal cut-point and its corresponding Youden Index to discriminate individuals using pooled blood samples. In: *Epidemiology* 16 (2005), S. 73–81 [Seite 195.]
- Spr70. SPRINCHORN, E.: The Odds on Hamlet. In: *The American Statistician* 24 (1970), S. 14–17 [Seite 164.]
- SR95. SOKAL, R.R. ; ROHLF, F.J.: *Biometry*. 3. edition. New York : Freeman, 1995 [Seite 408.]
- SS82. SCHLESSELMANN, J. ; STOLLEY, P.: *Case-control Studies: Design, Conduct, Analysis*. Oxford : Oxford Univ. Press, 1982 [Seite 714.]

- SS86. SHAFER, N.J. ; SULLIVAN, J.A.: A simulation study of a test for the equality of the coefficients of variation. In: *Communications in Statistics: Simulation and Computation* 15 (1986), S. 681–695 [Seite 539.]
- SSD⁺⁴⁹. STOUFFER, S.A. ; SUCHMAN, E.A. ; DEVINNEY, L.C. ; STAR, S.A. ; WILLIAMS, R.M. J.: *The American Soldier; Vol. I: Adjustment during Army Life*. Princeton, NJ : Princeton Univ. Press, 1949 [Seite 617.]
- SSR⁺⁹⁹. SACKETT, D.L. ; STRAUSS, E.S. ; RICHARDSON, W.S. ; ROSENBERG, W.S. ; HAYNES, R.B.: *Evidenzbasierte Medizin. EBM-Umsetzung und -Vermittlung. Dt. Ausg.: R.Kunz und L.Fritsche*. München : W. Zuckschwerdt, 1999 [Seite 721.]
- ST60. SIEGEL, S. ; TUKEY, J.W.: A nonparametric sum of ranks procedure for relative spread in unpaired samples. In: *Journal of the American Statistical Association* 55 (1960), S. 429–445 [Errata 56 (1961), 1005] [Seite 540.]
- ST03. STOREY, J.D. ; TIBSHIRANI, R.: Statistical significance for genomwide studies. In: *Proceedings of the National Academy of Sciences (PNAS)* 100 (2003), Nr. 16, S. 9440–9445 [Seiten 616 und 617.]
- Ste74. STEPHENS, M.A.: EDF statistics for goodness of fit and some comparisons. In: *Journal of the American Statistical Association* 69 (1974), S. 730–737 [Seite 499.]
- Ste80. STEIGER, J.H.: Tests for comparing elements of a correlation matrix. In: *Psychological Bulletin* 87 (1980), S. 245–251 [Seite 790.]
- Ste86a. STENGER, H.: *Stichproben*. Heidelberg und Wien : Physika-Verlag, 318 S., 1986 [Seite 330.]
- Ste86b. STEPHENS, M.A.: Tests based on EDF statistics. In: D'AGOSTINO, R.B. (Hrsg.) ; STEPHENS, M.A. (Hrsg.): *Goodness-of-fit Techniques*. New York : Marcel Dekker, 1986 [Seite 499.]
- Sto78. STOLINE, M.R.: Tables of the Studentized augmented range and applications to problems of multiple comparisons. In: *Journal of the American Statistical Association* 73 (1978), S. 656–660 [Seite 638.]
- Sto15. STOKELY, M.: *HistogramTools: Utility Functions for R Histograms.*, 2015. – R package version 0.3.2. <https://CRAN.R-project.org/package=HistogramTools> [Seite 117.]
- SU79. STOLINE, M.R. ; URY, H.K.: Tables of the Studentized maximum modulus distribution and an application to multiple comparisons among means. In: *Technometrics* 21 (1979), S. 87–93 [Seite 645.]
- SW65. SHAPIRO, S.S. ; WILK, M.B.: An analysis of variance test for normality (complete samples). In: *Biometrika* 52 (1965), S. 591–611 [Seite 498.]
- SW77. SAVIN, N.E. ; WHITE, K.J.: The Durbin-Watson test for serial correlation with extreme sample sizes or many regressors. In: *Econometrica* 45 (1977), S. 1989–1996 [Seite 808.]
- SW03. SINGER, Judith D. ; WILLETT, J.B.: *Applied longitudinal data analysis: modeling change and event*. Oxford, New York : Oxford Univ. Press; pp. 644, 2003 [Seite 882.]
- Swi09. SWIFT, M.B.: Comparison of confidence intervals for a Poisson mean - further considerations. In: *Communications in Statistics* 38 (2009), S. 748–759 [Seite 373.]
- Tak06. TAKEZAWA, K.: *Introduction to Nonparametric Regression*. Wiley. Hoboken, N.J. : Wiley-Interscience; pp. 538, 2006 [Seite 153.]
- Tam09. TAMHANE, A.C.: *Statistical Analysis of Designed Experiments. Theory and Applications*. Hoboken, New Jersey : Wiley; pp. 679, 2009 [Seite 694.]
- Tan11. TANG, Yongqiang: Size and power estimation for the Wilcoxon-Mann-Whitney test for ordered categorical data. In: *Statistics in Medicine* 30 (2011), S. 3461–3470 [Seite 580.]
- Tar85. TARONE, R.E.: On heterogeneity tests based on efficient scores. In: *Biometrika* 72 (1985), S. 91–95 [Seite 735.]

- TB70. TATE, M.W. ; BROWN, Sara M.: Note on the Cochran Q-test. In: *Journal of the American Statistical Association* (1970), Nr. 155-160 [Seite 773.]
- TB01. THACKER, N.A. ; BROMILEY, P.A.: The effects of a square root transform on a Poisson distributed quantity. / Imaging Science and Biomedical Engineering Division, Medical School, University of Manchester, Manchester, 2001 (Tina memo, 2001-010). – Forschungsbericht. <http://www.tina-vision.net> [Seite 625.]
- TB19. THERNEAU, T.M. ; B., Atkinson: *rpart: Recursive Partitioning and Regression Trees.*, 2019. – R package version 4.1-15. <https://CRAN.R-project.org/package=rpart> [Seite 855.]
- TD01. TODMAN, J.B. ; DUGARD, P.: *Single-Case and Small-n Experimental Designs; A Practical Guide to Randomization Tests.* Mahwah, New Jersey : Lawrence Erlbaum Associates; pp. 245, 2001 [Seite 965.]
- TG00. THERNEAU, T. M. ; GRAMBSCH, P. M.: *Modeling Survival Data: Extending the Cox Model.* Springer; pp. 350, 2000 [Seiten 907 und 914.]
- The15. THERNEAU, T.: *survival: A Package for Survival Analysis in S (version 2.38).*, 2015. <https://CRAN.R-project.org/package=survival> [Seiten 907, 914 und 932.]
- Tho87. THOMPSON, S.K.: Sample size for estimating multinomial proportions. In: *The American Statistician* 41 (1987), S. 42–46 [Seite 373.]
- Tho02. THOMPSON, S.K.: *Sampling.* 2nd edition. New York and Chichester : Wiley; pp 367, 2002 [Seiten 330 und 337.]
- Tia05. TIAN, Lili: On confidence intervals of a common intraclass correlation coefficient. In: *Statistics in Medicine* 24 (2005), S. 3311–3318 [Seite 435.]
- Tie87. TIEDE, M.: *Statistik. Regressions- und Korrelationsanalyse.* M?nchen und Wien : R. Oldenbourg; 171 S., 1987 [Seiten 124 und 965.]
- Tim02. TIMM, Neil H.: *Applied Multivariate Analysis.* New York : Springer Verlag; pp. 693, 2002 [Seite 817.]
- TK04. TABLEMAN, Mara ; KIM, Jong-Sung: *Survival Analysis Using S: Analysis of Time-to-Event Data.* Boca Raton, Florida : Chapman and Hall, 2004 [Seite 965.]
- TL19. TIBSHIRANI, R. ; LEISCH, F.: *bootstrap: Functions for the Book „An Introduction to the Bootstrap“.* S original and from StatLib and by Rob Tibshirani. R port by Friedrich Leisch., 2019. – R package version 2019.6. <https://CRAN.R-project.org/package=bootstrap> [Seite 403.]
- TLHH07. THERNEAU, T. ; LUMLEY, T. ; HALVORSEN, K. ; HORNIK, K.: *date: Functions for handling dates.*, 2007. – R package version 1.2-26. <http://CRAN.R-project.org/> [Seite 942.]
- Tra19. TRAPLETTI, Hornik K.: *tseries: Time series analysis and computational finance.*, 2019. – R package version 0.10-47. <https://CRAN.R-project.org/package=tseries> [Seite 526.]
- TSMB14. TRAUTMANN, H. ; STEUER, D. ; MERSMANN, O. ; BORNKAMP, B.: *truncnorm: Truncated normal distribution.*, 2014. – R package version 1.0-7. <https://CRAN.R-project.org/package=truncnorm> [Seite 286.]
- TT04. TANG, M.L. ; TONY, H.K.: Comment on: Confidence limits for the ratio of two rates based on likelihood scores: non-iterative method. In: *Statistics in Medicine* 23 (2004), S. 685–693 [Seite 368.]
- TTT09. TAN, Ming T. ; TIAN, Guo-Liang ; TANG, Man-Lai: Sample surveys with sensitive questions: a nonrandomized response approach. In: *The American Statistician* 63 (2009), S. 9–16 [Seite 12.]
- Tuk51. TUKEY, J.W.: Components in regression. In: *Biometrics* 7 (1951), S. 33–70 [Seite 138.]

- Tuk59. TUKEY, J.W.: A quick, compact, two-sample test to Duckworth's specifications. In: *Technometrics* 1 (1959), S. 31–48 [Seiten 603 und 604.]
- Tuk60. TUKEY, J.W.: Conclusions vs. decisions. In: *Technometrics* 2 (1960), S. 423–433 [Seite 456.]
- Tuk77. TUKEY, J.W.: *Exploratory Data Analysis*. Reading, Mass. : Addison-Wesley; pp.688, 1977 [Seite 501.]
- Tuk86. TUKEY, J.W.: Sunset salvo. In: *The American Statistician* 40 (1986), S. 72–76 [Seite 456.]
- TVV85. TÖRNQVIST, L. ; VARTIA, P. ; VARTIA, Y.O.: How should relative changes be measured? In: *The American Statistician* 39 (1985), S. 43–46 [Seite 563.]
- Van96. VANGEL, M.G.: Confidence intervals for the normal coefficient of variation. In: *The American Statistician* 15 (1996), S. 21–26 [Seite 408.]
- VCEG08. VICKERS, A.J. ; CRONIN, A.M. ; ELKIN, E.B. ; GONEN, M.: Extensions to decision curve analysis, a novel method for evaluating diagnostic tests, prediction models and molecular markers. In: *BMC Medical Informatics and Decision Making* 8 (2008), Nr. 1, S. 53–69 [Seite 198.]
- Ver05. VERZANI, J.: *Using R for Introductory Statistics*. Boca Raton, Florida : Chapman and Hall, 2005 [Seite 965.]
- VGSM05. VITTINGHOFF, E. ; GLIDDEN, D.V. ; SHIBOSKI, S.C. ; MCCULLOCH, C.E.: *Linear, Logistic, Survival, and Repeated Measures Models*. New York : Springer; pp. 344, 2005 [Seite 965.]
- Vic08. VICKERS, A.J.: Decision Analysis for the Evaluation of Diagnostic Tests, Prediction Models, and Molecular Markers. In: *The American Statistician* 62 (2008), S. 314–320 [sowie Letters to the Editor: 63 (2009), S.198–199] [Seite 198.]
- Vil12. VILLACORTA, P.A.: *MultinomialCI: Simultaneous confidence intervals for multinomial proportions according to the method by Sison and Glaz*, 2012. – R package version 1.0. <https://CRAN.R-project.org/package=MultinomialCI> [Seite 372.]
- VR02. VENABLES, W.N. ; RIPLEY, B.D.: *Modern Applied Statistics with S*. 4th edition. Springer <http://www.stats.ox.ac.uk/pub/MASS4> [Seiten 51, 143, 351, 489, 860, 892 und 897.]
- VSK⁺15. VIECHTBAUER, W. ; SMITS, L. ; KOTZ, D. ; BUDE, L. ; SPIGT, M. ; SERROYEN, J. ; CRUTZEN, R.: A simple formula for the calculation of sample size in pilot studies. In: *Journal of Clinical Epidemiology* 68 (2015), Nr. 11, S. 1375–1379 [Seite 510.]
- Wag55. WAGNER, G.: Zur Methodik des Vergleichs altersabhängiger Dermatosen. (Zugleich korrelationsstatistische Kritik am sogenannten „Status varicosus“). In: *Zeitschrift für menschliche Vererbungs- und Konstitutions-Lehre* 53 (1955), S. 259–271 [Seite 133.]
- Wal51. WALTER, E.: Über einige nichtparametrische Testverfahren (I, II). In: *Mathematische Statistik* 3 (1951), S. 31–44, 73–92 [Seite 586.]
- Wal58. WALTER, E.: Einige einfache nichtparametrische überall wirksame Tests zur Prüfung der Zweistichprobenhypothese mit paarigen Beobachtungen. In: *Metrika* 1 (1958), S. 81–88 [Seite 586.]
- Wal64. WALTER, E.: Rezension des Buches „Verteilungsfreie Methoden in der Biostatistik“ von G. Liener. In: *Biometrische Zeitschrift* 6 (1964), S. 61–62 [Seite 474.]
- Wal76. WALTER, S.D.: The estimation and interpretation of attributable risk in health research. In: *Biometrics* 32 (1976), S. 829–849 [Seite 717.]
- Wal78. WALTER, S.D.: Calculation of attributable risks from epidemiological data. In: *International Journal of Epidemiology* 7 (1978), Nr. 2, S. 175–183 [Seiten 717 und 718.]
- Wal88. WALTER, E.: *Biomathematik für Mediziner*. 3. Auflage. Stuttgart : Teubner; 206 S., 1988 [Seite 209.]

- War65. WARNER, S.L.: Randomized response: A survey technique for eliminating evasive answer bias. In: *Journal of the American Statistical Association* 60 (1965), S. 63–69 [Seite 12.]
- Wat64. WATSON, G.S.: Smooth regression analysis. In: *Sankhya: The Indian Journal of Statistics Series A* 26 (1964), S. 359–372 [Seite 155.]
- WBLJ18. WARNES, Gregory R. ; BOLKER, Ben ; LUMLEY, Thomas ; JOHNSON, Randall C.: *gmodels: Various R Programming Tools for Model Fitting.*, 2018. – R package version 2.18.1. <https://CRAN.R-project.org/package=gmodels> [Seite 649.]
- WC02. WIRTZ, M. ; CASPAR, F.: *Beurteilerübereinstimmung und Beurteilerreliabilität*. Göttingen : Hogrefe; 287 S., 2002 [Seite 436.]
- WCL02. WANG, H. ; CHOW, S.-C. ; LI, G.: On sample size calculation based on odds ratio in clinical trials. In: *Journal of Biopharmaceutical Statistics* 12 (2002), S. 471–483 [Seite 714.]
- WD76. WACKERLY, D.D. ; DIETRICH, F.H.: Pairwise comparisons of matched proportions. In: *Communications in Statistics-Theory Meth.* A5 (1976), S. 1455–1467 [Seite 776.]
- Wei60. WEIR, J.B. de V.: Significance of the difference between two means when the population variances may be unequal. In: *Nature* 187 (1960), S. 438 [Seite 552.]
- Wei70. WEIL, C.S.: Selection of the valid number of sampling units and a consideration of their combination in toxicological studies involving reproduction, teratogenesis or carcinogenesis. In: *Fd Cosmetical Toxicology* 8 (1970), S. 177–182 [Seite 897.]
- Wei05. WEISS, C.: *Basiswissen Medizinische Statistik*. 3. Auflage. Berlin, Heidelberg, New York : Springer; 324 S., 2005 [Seite 965.]
- Wel89. WELLEK, S.: Computing exact p-values in Page's nonparametric test against trend. In: *Biometrie und Informatik in Medizin und Biologie* 20 (1989), S. 163–170 [Seite 965.]
- Wel95. WELLEK, S.: Einführung in die statistische Methodik von Äquivalenzstudien. In: *Informatik, Biometrie und Epidemiologie in Medizin und Biologie* 26 (1995), S. 81–106 [Seite 518.]
- Wer92. WERNER, J.: *Biomathematik und Medizinische Statistik*. 2. Auflage. München : Urban und Schwarzenberg, 1992 [Seite 947.]
- Wes71. WESTLAKE, W.J.: A one-sided version of the Tukey-Duckworth test. In: *Technometrics* 13 (1971), S. 901–903 [Seite 604.]
- WH09. WU, C.F.J. ; HAMADA, M.: *Experiments. Planning, Analysis and Optimization*. 2nd edition. New York : Wiley; pp. 760, 2009 [Seite 694.]
- Whe20. WHEELER, B.: *SuppDists: Supplementary Distributions.*, 2020. – R package version 1.1-9.5. <https://CRAN.R-project.org/package=SuppDists> [Seite 651.]
- Whi80. WHITE, H.: A heteroscedastic-consistent covariance matrix estimator and a direct test of heteroscedasticity. In: *Econometrica* 48 (1980), S. 817–838 [Seite 834.]
- Wil27. WILSON, E.B.: Probable inference, the law of succession, and statistical inference. In: *Journal of the American Statistical Association* 22 (1927), S. 209–212 [Seite 361.]
- Wil40. WILLIAMS, C.B.: A note on the statistical analysis of sentence length as a criterion of literary style. In: *Biometrika* 31 (1940), S. 356–361 [Seite 288.]
- Wil41. WILKS, S.S.: Determination of sample sizes for setting tolerance limits. In: *Annals of Mathematical Statistics* 12 (1941), S. 91–96 [Seite 439.]
- Wil42. WILKS, S.S.: Statistical prediction with special reference to the problem of tolerance limits. In: *Annals of Mathematical Statistics* 13 (1942), S. 400–409 [Seite 439.]
- Wil59. WILLIAMS, E.J.: The comparison of regression variables. In: *Journal of the Royal Statistical Society (Series B)* 21 (1959), S. 396–399 [Seite 790.]
- Wil78. WILLIAMS, W.H.: How bad can „good“ data really be? In: *The American Statistician* 32 (1978), S. 61–65 [Seite 336.]
- Wil87. WILCOX, Rand R.: Pairwise comparisons of J independent regression lines over a finite interval, simultaneous pairwise comparisons of their parameters, and the Johnson-Neyman procedure. In: *British Journal of Mathematical and Statistical Psychology* 40 (1987), S. 80–93 [Seite 814.]

- Wil10. WILCOX, Rand R.: *Fundamentals of Modern Statistical Methods*. 2nd edition. New York : Springer; pp. 249, 2010 [Seiten 554 und 558.]
- Win71. WINER, B.J.: *Statistical Principles in Experimental Design*. 2nd edition. New York : McGraw-Hill, 1971 [Seite 686.]
- WL16. WASSERSTEIN, R.L. ; LAZAR, N.A.: Editorial - The ASA's Statement on p-Values: Context, Process, and Purpose. In: *The American Statistician* 70 (2016), S. 129–133 [Seite 462.]
- WLJS⁺14. WELLEK, S. ; LACKNER, K.J. ; JENNEN-STEINMETZ, C. ; REINHARD, I. ; HOFFMANN, I. ; BLETTNER, M.: Determination of reference limits: statistical concepts and tools for sample size calculation. In: *Clinical Chemistry and Laboratory Medicine* 52 (2014), S. 1685–1694 [Seite 401.]
- WM41. WALLIS, W.A. ; MOORE, G.H.: A significance test for time series analysis. In: *Journal of the American Statistical Association* 36 (1941), S. 401–409 [Seite 526.]
- WM83. WILSON, G.A. ; MARTIN, S.A.: An empirical comparison of two methods for testing the significance of a correlation matrix. In: *Educational and Psychological Measurement* 43 (1983), S. 11–14 [Seite 790.]
- Woo92. WOODWARD, M.: Formulae for sample size, power and minimum detectable relative risk in medical studies. In: *The Statistician* 41 (1992), S. 185–196 [Seite 715.]
- WP81. WEINBERG, R. ; PATEL, Y.C.: Simulated intraclass correlation coefficients and their ztransforms. In: *Journal of Statistical Computation and Simulation* 13 (1981), S. 13–26 [Seite 338.]
- Wri90. WRIGHT, T.: When zero defectives appear in a sample: upper bounds on confidence coefficients of upper bounds. In: *The American Statistician* 44 (1990), S. 40–41 [Seite 364.]
- WS67. WILSON, M.C. ; SHADE, R.E.: Relative attractiveness of various luminescent colors to the cereal leaf beetle and the meadow spittlebug. In: *Journal of Economic Entomology* 60 (1967), S. 578–580 [Seite 643.]
- WW39. WALD, A. ; WOLFOWITZ, J.: Confidence limits for continuous distribution functions. In: *The Annals of Mathematical Statistics* 10 (1939), S. 105–118 [Seite 361.]
- WW64. WILCOXON, F. ; WILCOX, Roberta A.: Some Rapid Approximate Statistical Procedures. In: *Lederle Laboratories, Pearl River, New York* (1964), S. 29–31 [Seite 670.]
- WWG07. WEST, Brady T. ; WELCH, K.B. ; GALECKI, A.T.: *Linear mixed models: a practical guide using statistical software*. Boca Raton, London, New York : Chapman + Hall; pp. 353, 2007 [Seite 882.]
- Wys73. WYSHAK, Grace: Determination of sample size. In: *American Journal of Epidemiology* 97 (1973), S. 1–3 [Seite 510.]
- XGY07. XIAO, Y. ; GORDON, A. ; YAKOVLEV, A.: A C++ program for the Cramer-Von Mises two-sample test. In: *Journal of Statistical Software* 17 (2007), Nr. 8. <https://www.jstatsoft.org/article/view/v017i08> [Seite 595.]
- YF04. YAN, J. ; FINE, J.P.: Estimating Equations for Association Structures. In: *Statistics in Medicine* 23 (2004), S. 859–880 [Seite 901.]
- YF17. YANHUI FAN, F.: *powerAnalysis: Power Analysis in Experimental Design.*, 2017. – R package version 0.2.1. <https://CRAN.R-project.org/package=powerAnalysis> [Seite 763.]
- You50. YOUDEN, W.J.: Index for rating diagnostic tests. In: *Cancer* 3 (1950), S. 32–35 [Seite 190.]
- Zar99. ZAR, J.H.: *Biostatistical Analysis*. 4th edition. Englewood Cliffs : Prentice-Hall; pp. 928, 1999 [Seite 744.]
- Zar10. ZAR, J.H.: *Biostatistical Analysis*. 5th edition. Upper Saddle River, New Jersey : Prentice-Hall; pp. 944, 2010 [Seiten 225, 435, 481, 548, 697, 785 und 802.]
- ZG97. ZHOU, X.H. ; GAO, S.: Confidence intervals for the log-normal mean. In: *Statistics in Medicine* 16 (1997), S. 783–790 [Seite 390.]

- Zim84. ZIMMERMANN, H.: Die praktische Relevanz des McNemar-Tests. In: *Biometrical Journal* 26 (1984), S. 219–220 [Seite 730.]
- ZL86. ZEGER, S.L. ; LIANG, K.-Y.: Longitudinal Data Analysis for Discrete and Continuous Outcomes. In: *Biometrics* 42 (1986), S. 121–130 [Seite 900.]
- ZLA88. ZEGER, S.L. ; LIANG, K.-Y. ; ALBERT, P.S.: Models for Longitudinal Data: A Generalized Estimating Equations Approach. In: *Biometrics* 44 (1988), S. 1049–1060 [Seiten 898 und 900.]
- ZR71. ZAHN, D.A. ; ROBERTS, Gail C.: Exact χ^2 criterion tables with cell expectations one: an application to Coleman's measure of consensus. In: *Journal of the American Statistical Association* 66 (1971), S. 145–148 [Seite 491.]